

BIBLIOGRAPHIE

En raison de l'abondance des références bibliographiques, celles-ci sont groupées par tête de chapitre (au risque d'être parfois répétées) permettant ainsi une utilisation plus aisée de l'ouvrage. Toutefois quelques références d'articles « princeps » et d'ouvrages d'ensemble sont regroupés au début et ne seront pas répétées. Cette bibliographie couvre la période 1910-1980 inclusivement.

Ouvrages et articles généraux

- Bensahel H. — La hanche à risque dans la maladie de Legg-Calvé-Perthes. In : *Conférences d'enseignement 1978* (Cahiers d'enseignement de la SOFCOT n° 8). Paris, Expansion Scientifique Française, 1978.
- Cotler J.M. — Surgery in LCP syndrome. In : *A.A.O.S. Instructional Course Lectures*, vol. 25, pp. 135-147. St-Louis, CV Mosby, 1976.
- Edgren W. — Coxa plana. A clinical and radiological investigation. *Acta orthop. scand. (Suppl.)*, 1965, n° 84.
- Fabry G., Pous J.G. — Maladie de Legg-Calvé-Perthes. Symposium réunion commune société belge et société française d'orthopédie. *Acta orthop. belg.* 1980, 46, 333-504.
- Goff C.W., Shutkin N.M., Hersey M.R. — *Legg-Calvé-Perthes syndrome and related osteochondrosis of young children*. Springfield, C.C. Thomas, 1954.
- Jonsäter S. — Coxa plana. A histopathologic and arthrographic study. *Acta orthop. scand. (Suppl.)*, 1953, n° 12.
- Lauritzen J. — Legg-Calvé-Perthes disease. A comparative study. *Acta orthop. scand. (Suppl.)*, 1975, n° 159.
- Lloyd-Roberts G.C., Ratliff A.H.C. — *Hip disorders in children*, pp. 119-164. Londres Butterworths, 1978.
- Meyer J. — Treatment of Legg-Calvé-Perthes disease. *Acta orthop. scand. (Suppl.)*, 1966, n° 86.
- Meyer J. — Legg-Calvé-Perthes disease. Radiological results of treatment and their late clinical consequences. *Acta orthop. scand. (Suppl.)*, 1977, n° 167.
- Mizuno S. — *Short lectures in orthopedic surgery*, pp. 40-89. Tokyo, Ishiako, 1970.
- Pasquière M. — L'ostéochondrite primitive de la hanche. Symposium au 44^e congrès de la SOFCOT, 1969. *Rev. Chir. orthop.*, 1970, 56, 587-663.
- Pous J.G., Dimeglio A. — Ostéochondrite primitive de la hanche. *Encycl. méd.-chir., Appareil locomoteur*, 1977, 14029 A 25.
- Siffert R. — Legg-Perthes disease. In : *A.A.O.S. Instructional Course Lectures*, vol. 22, pp. 286-316. St-Louis, CV Mosby, 1973.
- Tachdjian M. — *Pediatric orthopedics*, pp. 384-406. Philadelphie, Saunders, 1972.

Historique

- Axhausen G. — Klinische und histologische Beiträge zur Kenntnis der juvenilen Arthritis deformans coxae. *Charité-Ann.*, 1909, 33, 414-422.
- Baker W.M. — Epiphysal necrosis and its consequences. *Br. med. J.*, 1883, 2, 416-419.
- Calot F. — *Orthopédie indispensable*. Paris, Maloine 1926, 833.
- Calvé J. — Sur une forme particulière de pseudo-coxalgie greffée sur des déformations caractéristiques de l'extrémité supérieure du fémur. *Rev. Chir. (Paris)*, 1910, 42, 54.
- Danforth M.S. — The treatment of LCP disease without weight-bearing. *J. Bone Joint Surg.*, 1934, 16, 506.
- Heymann C.H., Herndon C.H. — Legg-Perthes disease : a method for the measurement of the roentgenographic result. *J. Bone Joint Surg.*, 1950, 32A, 767-778.
- Jonsäter S. — Coxa plana. A histopathologic and arthrographic study. *Acta orthop. scand. (Suppl.)*, 1953, n° 12.
- Legg A.T. — An obscure affection of the hip

- joint. *Boston med. surg. J.*, 1910, 162, 202-204.
- Legg A.T. — The end results of coxa plana. *J. Bone Joint Surg.*, 1927, 9, 26.
- Masse P. — Ostéochondrite primitive de la hanche. *Rev. Prat. (Paris)*, 1957, 7, 854-872.
- Maydl K. — Coxa vara und Arthritis deformans coxae. *Wien. klin. Wdsch.*, 1897, 2, 153-187.
- Perthes G. — Über Arthritis deformans juvenilis. *Dtsch. Z. Chir.*, 1910, 107-111.
- Perthes G. — Über Osteochondritis deformans juvenilis. *Archiv. klin. Chir.*, 1913, 779-807.
- Waldenström H. — Der obere tuberkulöse Collumherd. *Z. orthop. Chir.*, 1909, 24, 487.
- Waldenström H. — On coxa plana. *Acta chir. scand.*, 1923, 55, 577.
- Wright G. — On the value of determining the primary lesion in joint disease as an indication for treatment. *Br. med. J.*, 1883, 2, 419-422.
- Zemansky A.P. — The pathology and pathogenesis of LPC disease. *Am. J. Surg.*, 1928, 4, 169-184.

Anatomie et anatomopathologie

La hanche normale de l'enfant Constitution et développement

- Bedouelle J. — Le développement du cotyle normal. Etude radiologique. *Rev. Chir. orthop.*, 1954, 40, 526.
- Ponseti I.V. — Growth and development of the acetabulum in the normal child. *J. Bone Joint Surg.*, 1978, 60A, 575-585.
- Pous J.G., Dimeglio A. — *La hanche en croissance*. Paris, Baillière, 1976.

Le cartilage

- Barnett C.H. — *Synovial joints : their structure and mechanics*. Springfield, C.C. Thomas, 1961.
- Davies E. et coll. — *The testing and inspection of engineering material*. New York, McGraw Hill, 1964.
- Dowson D., Unsworth A., Wright V. — Analysis of boosted lubrication in human joints. *J. mech. eng. Sci.*, 1970, 12, 364-369.
- Fick R. — *Handbuch der Anatomie und Mechanik der Gelenke*, vol. I-III. Jena, Fischer, 1904-1911.

- Frost H.M. — *Biomechanic orthopaedic*. Springfield, C.C. Thomas, 1973.
- Glimcher M.J. — Biological and mechanical considerations in the genesis of clinical abnormalities. *Orthop. Rev.*, 1979, 8, 33.
- Hirsch C. — A contribution to the pathogenesis of chondromalacia of the patella. *J. Bone Joint Surg.*, 1931, 13, 2.
- Hultzkranz J.W. — Über die Spaltrichtungen des Gelenkknorpel. *Verh. anat. Ges. (Kiel)*, 1898, 2, 54.
- Kempson G.E. et coll. — Pattern of cartilage stiffness on normal and degenerate human femoral heads. *J. Biomech.*, 1971, 4, 597-610.
- Maroudas A. — Distribution and diffusion of solutes in articular cartilage. *Biophys. J.*, 1970, 10, 365.
- McKibbin B., Holdsworth F.W. — The dual nature of epiphysal cartilage. *J. Bone Joint Surg.*, 1967, 49B, 351.
- Rydell N. — *Intravital measurement of forces acting on the hips joint studies of the anatomy and function of bone and joint*. Berlin, Evans, 1966.

Van Mow H., Schmidt H.W. — Der Konstitutionell dysostische Perthes. *Z. Orthop.*, 1960, 93, 515-530.

Vascularisation

Chung S. — The arterial supply of the developing proximal end of the human femur. *J. Bone Joint Surg.*, 1976, 58A, 961-970.

Crock H.V. — A revision of the anatomy of the arteries supplying the upper end of the human femur. *J. Anat.*, 1965, 99, 77-88.

Fischer L.P. et coll. — Vascularisation artérielle de la tête fémorale de l'enfant. *Rev. Chir. orthop.*, 1977, 174, 63-75.

Herring J.A. et coll. — Minimal Perthes disease. *J. Bone Joint Surg.*, 1980, 62B, 25-30.

Lagrange J., Dunoyer J. — La vascularisation de la tête fémorale de l'enfant. *Rev. Chir. orthop.*, 1962, 48, 123-136.

Latarjet A., Trillat A. — La vascularisation des épiphyses du fœtus humain. *Bull. Assoc. Anat. (Nancy)*, 1935, 279-297.

Lauritzen J. — The arterial supply to the femoral head in children. *Acta orthop. scand.*, 1974, 45, 724-736.

Louis R., Bergoin M. — Vascularisation de l'os coxal. *Trav. Inst. Anat. Marseille*, 1962, 21, 91-95.

Ogden J.A. — Changing patterns of proximal femoral vascularity. *J. Bone Joint Surg.*, 1974, 56A, 941-950.

Siffert R.S. — Osteochondrosis of the proximal femoral epiphysis. In : *A.A.O.S. Instructional Course Lectures*, vol. 22, pp. 270-285. St-Louis. CV Mosby, 1973.

Théron J. — Angiography in LPC disease. *Radiology*, 1980, 135, 81-92.

Trueta J. — The normal vascular anatomy of the human femoral head during growth. *J. Bone Joint Surg.*, 1957, 39B, 358-394.

Tucker F.R. — Arterial supply at the femoral head and its clinical importance. *J. Bone Joint Surg.*, 1949, 31B, 82-93.

Wertheimer L.G., Fernandez Lopes S. de L. — Arterial supply of the femoral head. *J. Bone Joint Surg.*, 1971, 53A, 545-556.

Anatomopathologie

Axer A., Schiller M.G. — The pathogenesis of the early deformity of the capital femoral epiphysis in LPC syndrome. *Clin. Orthop.*, 1972, 84, 106.

Caffey J. — The early roentgenographic changes in essential coxa plana. *Am. J. Roentgenol.*, 1968, 103, 620-634.

Catto M. — Pathology of aseptic bone necrosis. In : *Davidson J.K. Aseptic necrosis of bone*. Amsterdam. Excerpta med., 1976, 100 p.

Dolman Cl., Michael Bell H. — Pathology of Legg-Calvé-Perthes disease. *J. Bone Joint Surg.*, 1973, 55A, 184-188.

Ferguson A. — The pathology of Legg-Perthes disease and its comparison with aseptic necrosis. *Clin. Orthop.*, 1975, 106, 7-18.

Ferguson A., Howarth B. — Coxa plana and related conditions at the hip. *J. Bone Joint Surg.*, 1934, 16, 781-803.

Ficat P., Arlet J. — *Ischémie et nécrose osseuses*. Paris, Masson, 1977.

Gall E.A., Bennet G.A. — Ostéochondritis deformans of the hip and renal osteitis fibrosa cystica. *Arch. Pathol.*, 1942, 33, 866-878.

Gershuni D. et coll. — Arthrographic findings in LCPD and transient synovitis of the hip. *J. Bone Joint Surg.*, 1978, 60A, 456.

Haythorn S. — Pathological changes found in material removed at operation in LPC disease. *J. Bone Joint Surg.*, 1949, 31A, 599-611.

Heitzman O. — Epiphysenerkrankungen im Wachstumsalter. *Klin. Wochenschr.*, 1923, 397.

Howarth B. — Coxa plana. *J. Bone Joint Surg.*, 1948, 30A, 601-620.

Hulth A. et coll. — Coxa plana in the dog. *J. Bone Joint Surg.*, 1962, 44A, 918-930.

Inoue A. et coll. — The pathogenesis of Perthes'disease. *J. Bone Joint Surg.*, 1976, 58B, 453-461.

Inoue A. et coll. — A comparative study of histology in Perthes'disease and idiopathic avascular necrosis of the femoral head in adults. *Int. Orthop.*, 1980, 4, 39-46.

Jensen O.M., Lauritzen J. — Legg-Calvé-Perthes'disease. Morphological studies in two cases examined at necropsy. *J. Bone Joint Surg.*, 1976, 58B, 332-338.

Jonsäter S. — Coxa plana. A histopathologic and arthrographic study. *Acta ortho. scand. (Suppl.)*, 1953, n° 12.

Kemp H.B.S. — Perthes'disease : an experimental and clinical study. *Ann. r. Coll. Surg. Engl.*, 1973, 52, 18-35.

Kemp H.S., Boldero J.L. — Radiological changes in Perthes disease. *Br. J. Radiol.*, 1966, 39, 744-760.

Konjetzny G.E. — Zur Kenntnis der Pertheschen und Köhlerschen Krankheit insbesondere des Heilungsvorgang bei diesen. *Verh. dtsch. Ges. Chir.*, 1926, 1, 25.

Lippmann R.K. — The pathogenesis of LCP disease based upon the pathologic findings in a case. *Am. J. Surg.*, 1929, 6, 785-791.

Ljunggren G. — Legg-Perthes disease in the dog. *Acta orthop. scand. (Suppl.)*, 1967, n° 95.

Lloyd-Roberts G.C., Ratliff A.H. — *Hip*

disorders in children, p. 122. Londres, Butterworths, 1978.

Marcus N.D., Enneking W.F., Massam R.A. — The silent hip in idiopathic aseptic necrosis. Treatment by bone grafting. *J. Bone Joint Surg.*, 1973, 55A, 1351-1366.

McKibbin B., Ralis Z. — Pathological changes in a case of Perthes'disease. *J. Bone Joint Surg.*, 1974, 56B, 438-447.

Merle d'Aubigné R. et coll. — Idiopathic necrosis of the femoral head in adults. *J. Bone Joint Surg.*, 1965, 47B, 612-633.

Mizuno S. — *Short lectures in orthopedic surgery*, pp. 40-89. Tokyo, Ishiaku, 1970.

Mizuno S. et coll. — Pathological histology of the LCPD with a special reference to its experimental production. *Med. J. Osaka Univ.*, 1966, 17, 177-209.

Moltzen-Nielsen H. — Calvé-Perthes Krankheit, malum deformans juvenilis coxae bei Hunden. *Arch. wiss. prakt. Tierheilk.*, 1938, 72, 91-108.

Norman A., Bullough P. — Radiolucent crescent line early diagnostic sign of avascular necrosis of femoral head. *Bull. Hosp. Joint Dis.*, 1963, 24, 99-104.

Nisio A. — Legg-Calvé-Perthes disease. *Seikeigekwan Simpo*, 1963, 8, 295-342.

Pemister D. — Operation for epiphysitis of the head of the femur. *Arch. Surg.*, 1921, 2, 221.

Ponseti I. — Legg-Perthes disease. Observations on pathological changes in two cases. *J. Bone Joint Surg.*, 1956, 38A, 739-750.

Riedel G. — Zur Path. Anat. und Ätiologie der Osteochondritis deformans coxae juvenalis. *Virchows Arch. pathol. Anat.*, 1924, 144.

Salter R.B. — Clinical and laboratory research studies on Legg-Perthes'disease. In : *The hip*, pp. 4-13. St-Louis. CV Mosby, 1973.

Taillard W. — L'ostéochondrite primitive de la hanche. *Rev. Chir. orthop.*, 1970, 56, 587-663.

Taylor H.W.Y. et coll. — Osteoarthritis of the hip in gorillas. *Clin. Orthop.*, 1955, 6, 149-157.

Trias A. — Femoral osteotomy in Perthes disease. *Clin. Orthop.*, 1978, n° 137, 195-207.

Zemansky A.P. — The pathology and pathogenesis of LCPD. *Am. J. Surg.*, 1928, 4, 169-184.

Étiopathogénie

Faits cliniques et épidémiologiques

Altav H., Geimer R. — Thérapeutique supplétive de la maladie de Perthes par l'angiolytique vasculat. *Z. Orthop.*, 1967, 104, 68-74.

Bereneyi P. — Accélération de la régénérescence dans la maladie de Perthes par injection intra-articulaire d'huile de foie de morue. *Z. Orthop.*, 1969, 106, 569-577.

Bohr H.H. — Skeletal maturation in LPC disease. *Int. Orthop.*, 1979, 2, 277-281.

Burwell R.G. — Perthes'disease. *J. Bone Joint Surg.*, 1978, 60B, 1-3.

Burwell R.G. et coll. — Perthes'disease : an

anthropometric study revealing impaired growth and disproportionate growth. *J. Bone Joint Surg.*, 1978, 60B, 461-477.

Catterall A., Lloyd-Roberts G.C., Wynne Davies E. — Association of Perthes'disease with congenital anomalies of genitourinary tract and inguinal region. *Lancet*, 1971, 1, 996-997.

Cavanaugh L., Shelton E.K., Sutherland R. — Metabolic studies in osteochondritis of the capital femoral epiphysis. *J. Bone Joint Surg.*, 1936, 18, 957-968.

Derian P.S. — Coxa plana in dysgotic male twins. *J. Bone Joint Surg.*, 1956, 38A, 901-907.

- Duriez J. — Réflexions à propos de la physiopathologie de l'ostéochondrite de la hanche. *Rev. Chir. orthop.*, 1977, 63, 157-172.
- Emr J. — Communication personnelle, citée par Burwell R.G. *J. Bone Joint Surg.*, 1978, 60B, 1-3.
- Fisher R.L. — An epidemiological study of Legg-Perthes disease. *J. Bone Joint Surg.*, 1972, 54A, 769-777.
- Freiberg A.H. — Infarction of the second metatarsal bone; a typical injury. *Surg. Gynecol. Obstet.*, 1914, 19, 191.
- Gill A.B. — Relationship of Legg-Perthes disease to the function of the thyroid gland. *J. Bone Joint Surg.*, 1943, 25, 892-901.
- Goff W.G. — Legg-Calvé-Perthes syndrome: an up to date critical review. *Clin. Orthop.*, 1962, 22, 93-107.
- Hall D.J., Harrison M.H.M., Burwell R.G. — Congenital abnormalities and Perthes disease. *J. Bone Joint Surg.*, 1979, 61B, 18-25.
- Harrison M.H.M., Turner M.H., Jacobs P. — Skeletal immaturity in Perthes disease. *J. Bone Joint Surg.*, 1976, 58B, 37-40.
- Jung A., Wurtz J.P., Randrianarivo P. — Les modifications circulatoires artérielles dans les nécroses aseptiques de la hanche. *Mém. Acad. Chir.*, 1965, 491, 489-506.
- Katz J.F. — Protein bound iodine in Legg-Calvé-Perthes disease. *J. Bone Joint Surg.*, 1955, 37A, 842-846.
- Kemp H.S., Boldero J.L. — Radiological changes in Perthes disease. *Br. J. Radiol.*, 1966, 39, 744-760.
- Köhler A. — Über eine häufige bisher anscheinend unbekannte Erkrankung einzelner hindlicher Knochen. *Münch. med. Wschr.*, 1908, 55, 1923.
- König F. — Über freie Körper in den Gelenken. *Dtsch. Z. Chir.*, 1887, 27, 90.
- Lindholm T.S. et coll. — Perthes disease of a severe type developing after satisfactory closed reduction of congenital dislocation of the hip. *J. Bone Joint Surg.*, 1978, 60B, 15-17.
- Ljunggren G. — Legg Perthes disease in the dog. *Acta orthop. scand. (Suppl.)*, 1967, n° 95.
- Osgood R.B. — Lesions of the tibial tubercle occurring during adolescence. *Boston med. surg. J.*, 1903, 148, 114.
- Panner H.J. — An affection of the capitulum human resembling Calvé-Perthes disease of the hip. *Acta Radiol. (Stockh.)*, 1927, 8, 617.
- Ponseti I., Cotton R.L. — Legg-Calvé-Perthes disease. Pathogenesis and evolution. Failure of treatment with L. Triiodothyronine. *J. Bone Joint Surg.*, 1961, 43A, 261-274.
- Schaefer R.L., Purcell F.H. — Juvenile osteochondral (chondro-epiphysitis) hypothyroidism. *Am. J. Surg.*, 1941, 54, 589-604.
- Scheuermann H.W. — Deforming osteochondritis of spine. *Ugeskr. Laeger*, 1920, 82, 385.
- Schoenberger F., Taillard W., Berger H. — L'étude de l'élimination des acides aminés dans l'épiphyse, la maladie de Perthes et la scoliose. *Z. Orthop.*, 1961, 95, 73.
- Sever J.W. — Apophysitis of the os calcis. *N. Y. med. J.*, 1912, 95, 1025.
- Smith D.W. — Recognizable patterns of human malformation: genetic, embryologic and clinical aspects, 2^e édition. Philadelphie, Londres, Saunders, 1976.
- Taussig G., Heripret G. — Maladie de LPC, A propos de 275 cas. *Rev. Chir. orthop.*, 1969, 55, 305-330.
- Trueta J. — Perthes disease. *Lancet*, 1960, n° 7136, 1247.
- Van Neck M. — Ostéochondrite du pubis. *Arch. fr.-belg. Chir.*, 1927, 27, 238.
- Wynne Davies R., Gormley J. — The aetiology of Perthes disease. *J. Bone Joint Surg.*, 1978, 60B, 6-14.

Angiographies

- Jung A., Wurtz J.P., Randrianarivo P. — Les modifications circulatoires artérielles dans les nécroses aseptiques de la hanche et dans l'épiphyse. *Mém. Acad. Chir.*, 1965, 491, 489-506.
- Matumoto Y., Mizuno S. — Fallacy of phlebography for estimating the blood flow of the femoral head. *Int. Surg.*, 1969, 52, 22-28.
- Rigault P., Debrun J. — Angiographie dans l'ostéochondrite primitive de la hanche. *Rev. Chir. orthop.*, 1970, 56, 610-611.
- Suramo I. et coll. — Disturbed patterns of venous drainage of the femoral neck in Perthes disease. *J. Bone Joint Surg.*, 1974, 56B, 448.
- Théron J. — Superselective angiography of the hip. Technique, normal features and early results in idiopathic necrosis of the femoral head. *Radiology*, 1977, 124, 649-657.
- Théron J. — Angiography in LPC disease. *Radiology*, 1980, 135, 81-92.

Scintigraphie

- Alavi A., Mac Closkey J.R., Steinberg M.E. — Early detection of avascular necrosis of the femoral head by 99 m Technetium diphosphate scan. *Clin. Orthop.*, 1977, 127, 137-141.
- Bensahel H., Bok B., Flikier H. — La place de la scintigraphie dans l'ostéochondrite primitive de la hanche. *Chirurgie*, 1979, 105, 321-325.
- Bohr H. — Densitometry and 18 F, scintigraphy in the study of the revascularization of the femoral head in coxa plana. *Acta orthop. scand.*, 1973, 44, 417-425.
- D'Ambrosia R.D., Shoji H., Riggins R.S. — Scintigraphy in the diagnosis of osteonecrosis. *Clin. Orthop.*, 1978, 130, 139-143.
- Danigelis J.A. et coll. — 99 m Tc Polyphosphate bone imaging in Legg-Perthes disease. *Radiology*, 1975, 115, 407-413.
- Fasting O.J. et coll. — Bone scintigraphy in early diagnosis of Perthes disease. *Acta orthop. scand.*, 1978, 49, 169-174.
- Fasting O.J. et coll. — Scintigraphy evaluation of the severity of Perthes disease in the initial stage. *Acta orthop. scand.*, 1980, 51, 655-660.
- Fisher R.L. et coll. — The relationship of isotopic bone imaging findings to prognosis in Legg-Perthes disease. *Clin. Orthop.*, 1980, 150, 23-29.
- Katz J.F. — « Abortive » Legg-Perthes-Calvé disease or developmental variation in epiphy-

seogenesis of the upper femur. *J. Mt Sinai Hosp.*, 1965, 32, 651-659.

Köhler R. et coll. — La scintigraphie osseuse chez l'enfant: technique et indications. A propos de 50 observations. *Chir. pediatri.*, 1979, 20, 383-391.

Morley T.R., Short M.D., Dowsett D.J. — Femoral head activity in Perthes disease: clinical evaluation of a quantitative technique for estimating tracer uptake. *J. nucl. Med.*, 1978, 19, 884-890.

Siegel B.A. et coll. — Skeletal uptake of 99 m Tc diphosphate in relation to local bone blood flow. *Radiology*, 1976, 120, 121-123.

Subramanian G., McAfee J.G., Bell E.G. — 99 m Tc labeled polyphosphate as a skeletal imaging agent. *Radiology*, 1972, 102, 701-704.

Sutherland A.D. et coll. — The nuclide bone scan in the diagnosis and management of Perthes disease. *J. Bone Joint Surg.*, 1980, 62B, 300-306.

Thomas S.R. et coll. — Dose to the metaphyseal growth complexes in children undergoing 99 m Tc-EHDP bone scans. *Radiology*, 1978, 126, 193-195.

Tucker F.R. — The use of radioactive phosphorus in the diagnosis of avascular necrosis of the femoral head. *J. Bone Joint Surg.*, 1950, 32B, 100-107.

Reproduction expérimentale chez l'animal

- Basset F.H. et coll. — Normal vascular anatomy of the head of the femur in puppies with emphasis on the inferior reticular vessels. *J. Bone Joint Surg.*, 1969, 51A, 1139-1153.
- Bobechko W.P., Harris W.R. — The radiographic density of avascular bone. *J. Bone Joint Surg.*, 1960, 42B, 626-632.
- Freeman M.A.R., England J.P.S. — Experimental infarction of the immature canine femoral head. *Proc. r. Soc. Med.*, 1969, 62, 431-433.
- Gershuni-Gordon D.H., Axer A. — Synovitis of the hip joint. An experimental model in rabbits. *J. Bone Joint Surg.*, 1974, 56B, 69-77.
- Harris W.R., Hobson K.W. — Histological changes in experimentally displaced upper femoral epiphyses in rabbits. *J. Bone Joint Surg.*, 1956, 38B, 914-921.
- Kemp H.B.S. — Perthes disease: an experimental and clinical study. *Ann. r. Coll. Surg. Engl.*, 1973, 52, 18-35.
- Lemoine A. — Vascular changes after interference with the blood flow of the femoral head of the rabbit. *J. Bone Joint Surg.*, 1957, 39B, 763-777.
- McKibbin B., Holdsworth F.W. — The nutrition of immature joint cartilage in the lamb. *J. Bone Joint Surg.*, 1966, 48B, 793-803.
- Mizuno S. et coll. — Pathological histology of the LPC disease with a special reference to its experimental production. *Med. J. Osaka Univ.*, 1966, 17, 177-209.
- Robichon J. et coll. — The femoral neck in L.P.C. disease. Its relationship to epiphyseal change and its importance in early prognosis. *J. Bone Joint Surg.*, 1974, 56B, 62-68.

- Rösiing G.E., James J. — Early phases of avascular necrosis of the femoral head in rabbits. *J. Bone Joint Surg.*, 1969, 51B, 165-174.
- Salter R.B. — Experimental and clinical aspects of Perthes' disease. *J. Bone Joint Surg.*, 1966, 48B, 393-394.
- Salter R.B., Field P. — The effects of continuous compression on living articular cartilage. An experimental investigation. *J. Bone Joint Surg.*, 1960, 42A, 31-49.
- Salter R.B., Kostuik J., Dallas S. — Avascular necrosis of the femoral head as a complication of treatment for congenital dislocation of the hip in young children: a clinical and experimental investigation. *Can. J. Surg.*, 1969, 12, 44-61.
- Sanchis M., Zahir A., Freeman M.A.R. — The experimental simulation of Perthes disease by consecutive interruptions of the blood supply to the capital femoral epiphysis in the puppy. *J. Bone Joint Surg.*, 1973, 55A, 335-342.
- Schoenecker P.L., Bitz D.M., Whiteside L.A. — The acute effect of position of immobilization on capital femoral epiphyseal blood flow. *J. Bone Joint Surg.*, 1978, 60A, 899-904.
- Slätis P., Rokkanen P. — Regeneration of the femoral head after subcapital osteotomy. An experimental study on young rabbits. *Acta orthop. scand.*, 1966, 37, 219-228.
- Spivey J., Park W.M. — The production of ischaemic lesions in the hip of immature rabbits using arterial microemboli. *J. Bone Joint Surg.*, 1973, 55B, 655.
- Tachdjian M.O., Grana L. — Response of the hip joint to increased intra-articular hydrostatic pressure. *Clin. Orthop.*, 1968, 61, 199-212.
- Trias A. — Effect of persistent pressure on the articular cartilage. An experimental study. *J. Bone Joint Surg.*, 1961, 43B, 376-386.
- Trueta J., Amato V.P. — The vascular contribution to osteogenesis III. Changes in the growth cartilage caused by experimentally induced ischaemia. *J. Bone Joint Surg.*, 1960, 42B, 571-587.
- Walmsley T. — The articular mechanism of the diarthroses. *J. Bone Joint Surg.*, 1928, 10, 40-45.
- Young M.H. — Epiphysal infarction in a growing long bone. An experimental study in the rabbit. *J. Bone Joint Surg.*, 1966, 48B, 826-840.
- Zahir A., Freeman M.A.R. — Cartilage changes following a single episode of infarction of the capital femoral epiphysis in the dog. *J. Bone Joint Surg.*, 1972, 54A, 125-136.
- ping proximal end of the human femur. *J. Bone Joint Surg.*, 1976, 58A, 961-970.
- Craig W., Kramer W., Watanabe R. — The role of antetorsion and trauma in LPC syndrome. *J. Bone Joint Surg.*, 1964, 46A, 1371.
- Duriez J. — Réflexions à propos de la physiopathologie de l'ostéochondrite de la hanche. *Rev. Chir. orthop.*, 1977, 63, 157-172.
- Harrison M.H.M., Mennon M.P. — L.P.C. disease. *J. Bone Joint Surg.*, 1966, 48A, 1301.
- Inoue A. et coll. — The pathogenesis of Perthes' disease. *J. Bone Joint Surg.*, 1976, 58B, 453-461.
- Lapeyrie et coll. — Arthrographie et mesures des pressions intra-articulaires. *J. Radiol. Electrol.*, 1966, 47, 589-593.
- Lauritzen J. — LCP disease, A comparative study. *Acta orthop. scand. (Suppl.)*, 1975, n° 159.
- Schwartz — Eine typische Erkrankung der oberen femur epiphyse. *Brunns' Beitr. klin. Chir.*, 1914, 93, 127.
- Sœur R., Racker Ch. de — L'aspect anatomopathologique de l'ostéochondrite et les théories pathogéniques qui s'y rapportent. *Acta orthop. belg.*, 1952, 18, 57-98.
- Somerville E.W. — Perthes' disease of the hip. *J. Bone Joint Surg.*, 1971, 53B, 639-649.
- Sundt H. — Further investigations respecting malum coxae L.P.C. with special regard to prognosis and treatment. *Acta chir. scand. (Suppl.)*, 1949, n° 148.
- Trueta J. — The normal vascular anatomy of the human femoral head during growth. *J. Bone Joint Surg.*, 1957, 39B, 358.
- Waldenström H. — On coxa plana. *Acta chir. scand.*, 1923, 55, 577.
- Zemansky P. — The pathology and pathogenesis of L.P.C. disease. *Am. J. Surg.*, 1928, 4, 169-184.
- Adams J.A. — Transient synovitis of the hip joint in children. *J. Bone Joint Surg.*, 1963, 45B, 471-476.
- Beau A., Bauquel J., Jolly A. — La synovite aiguë transitoire de la hanche chez l'enfant. *Ann. Chir. infant.*, 1976, 18, 39-44.
- Brown I. — A study of the « capsular » shadow in disorder of the hip in children. *J. Bone Joint Surg.*, 1975, 57B, 175-179.
- Drey L. — A roentgenographic study of transitory synovitis of the hip joint. *Radiology*, 1953, 60, 588.
- Fairbank H.A.T. — Discussion on non tuberculous coxitis in the young. *Br. med. J.*, 1926, 2, 828.
- Fasting O.J. et coll. — Bone scintigraphy in early diagnosis of Perthes' disease. *Acta orthop. scand.*, 1978, 49, 169-174.
- Gershuni D.H., Axer A., Hendel D. — Arthrographic findings in Legg-Calvé Perthes disease and transient synovitis of the hip. *J. Bone Joint Surg.*, 1978, 60A, 457-464.
- Hardinge K. — The etiology of transient synovitis of the hip in childhood. *J. Bone Joint Surg.*, 1970, 52B, 100-107.
- Hermel M.B., Sklaroff D.M. — Roentgen changes in transient synovitis of the hip joint. *Arch. Surg.*, 1954, 68, 364.
- Jacobs B.W. — Synovitis of the hip in children and its significance. *Pediatrics*, 1971, 47, 558-566.
- Lovett R.W., Morse J.L. — A transient or ephemeral form of hip disease with a report of cases. *Boston med. surg. J.*, 1892, 127, 161.
- Spock A. — Transient synovitis of the hip joint in children. *Pediatrics*, 1959, 24, 1042.
- Sutherland A.D. et coll. — The nuclide bone scan in the diagnosis and management of Perthes' disease. *J. Bone Joint Surg.*, 1980, 62B, 300-306.
- Valderrama J.A.F. — The « observation hip » syndrome and its late sequelae. *J. Bone Joint Surg.*, 1963, 45B, 462-470.

Etude clinique

Radiologie

Théories pathogéniques

- Axhausen G. — Veber die Ensthung der Randwülste geider arthritis deformans. *Virchows Arch. pathol. Anat.*, 1925, 255, 144-171.
- Bernbeck R. — Untersuchungen zur Pathologie und Ätiologie der Perthes'schen Krankheit. *Verh. Dtsch. orthop. Ges.*, 1948, 36, 241.
- Caffey J. — The early roentgenographic changes in essential coxa plana: their significance in pathogenesis. *Am. J. Roentgenol.*, 1968, 103, 620-634.
- Chung S. — The arterial supply of develop-

- Amsted E. — Beitrag zum Schwund des jugentlichen Schenkelkopfes (Osteoarthritis deformans juvenilis). *Brunns' Beitr. klin. Chir.*, 1916, 102, 652.
- Axer A. — Subtrochanteric osteotomy in the treatment of Perthes's disease (a preliminary report). *J. Bone Joint Surg.*, 1965, 47B, 489-499.
- Axer A., Schiller M.G. — The pathogenesis of the early deformity of the capital femoral epiphysis in LPC syndrome. *Clin. orthop.*, 1972, 84, 106.
- Axhausen G. — Die Nekrose des proximalen Bruchstücks beim Schenkelhalsbruch und ihre Bedeutung für das Hüftgelenk. *Langenbecks Arch. klin. Chir.*, 1922, 120, 325.
- Barnes J.M. — Premature epiphysal closure in L.P.C. disease. *J. Bone Joint Surg.*, 1980, 62B, 432-437.
- Bergman E. — Theoretisches. Klinisches und Experimentales zur Frage der osteotischen Knochen. *Dtsch. Z. Chir.*, 1927, 12, 206.
- Bernbeck R. — Untersuchungen zur Pathologie und Ätiologie der Pertheschen Krankheit. *Verh. Dtsch. Ges. Orthop.*, 1948, 36, 241.
- Bolot J.E. — Apport de la tomodensitométrie dans l'exploration de l'appareil locomoteur. Thèse Méd., Lyon, 1979.

BIBLIOGRAPHIE

- Bradley J.G., Huang H.K., Ledley R.S. — Evaluation of calcium concentration in bones from CT scans, *Radiology*, 1978, 128, 103-107.
- Brailsford J.F. — *The radiology of bones and joints*, 5^e ed. Londres, Churchill, 1953.
- Brotherton B.J., McKibbin B. — Perthes disease treated by prolonged recumbency and femoral head containment, *J. Bone Joint Surg.*, 1977, 59B, 8-14.
- Brown I. — A study of « capsular » shadow in disorders of the hip in children, *J. Bone Joint Surg.*, 1975, 57B, 2, 175-178.
- Caan P. — Osteochondritis deformans juvenilis coxae (coxa plana Calvé-Perthes Krankheit), *Ergeb. Chir. Orthop.*, 1924, 17, 64.
- Caffey J. — The early roentgenographic changes in essential coxa plana. Their significance in pathogenesis, *Radiology*, 1967, 103, 620-634.
- Cartier P., Dagher F., Morel A. — L'ostéotomie de varisation dans la maladie de Legg-Perthes-Calvé, A propos de 50 cas, *Rev. Chir. orthop.*, 1976, 62, 21.
- Catterall A. — The natural history of Perthes disease, *J. Bone Joint Surg.*, 1971, 53B, 37-53.
- Catterall A. — *Coxa Plana*, In: *Modern trends in orthopaedics*, Londres, Butterworths, 1972.
- Catterall A. — Communication, Symposium Bruges 1979, *Acta. orthop. Belg.*, 1980, 46, 431-434.
- Cirotteau Y., Bedouelle J. — Intérêt de la position du fémur en rotation interne dans la maladie de LPC, In: Réunion G.E.T.R.O.A., Paris, 1978.
- Curtis B.M. — Judging results in LPC syndrome, *Orthop. Rev.*, 1979, 8, 159.
- Drehmann G. — Osteoarthritis deformans juvenilis (Perthes), *Brunns' Beitr. klin. Chir.*, 1914, 91, 642.
- Eyre-Brook A.L. — Osteochondritis deformans coxae juvenilis or Perthes disease, *Br. J. Surg.*, 1936, 24, 166-182.
- Eyring E.J., Bjornson D.R., Paterson C.A. — Early diagnostic and prognostic signs in LPC disease, *Amer. J. Roentgen*, 1965, 93, 382-387.
- Fischer R.L. — LPC disease. Osteochondrosis of the proximal femoral epiphysis, In: *A.A.O.S. Instructional Course Lectures*, pp. 286-295, St-Louis, CV Mosby, 1973.
- Ferguson A.B. — The pathology of LPC disease and its comparison with aseptic necrosis, *Clin. Orthop.*, 1975, 106, 7-18.
- Ferguson A.B., Howorth M.B. — Coxa plana and related conditions at the hip, *J. Bone Joint Surg.*, 1934, 16, 781.
- Fèvre M. — Osteochondritis of the hip. Clinical review, *J. Bone Joint Surg.*, 1955, 37B, 513.
- Freund E. — Zur Deutung der Röntgenfilmes der Pertheschen Krankheit, *Fortschr. Röntgenstr.*, 1930, 42, 435.
- Fromme A. — Die Ursache der wachstumsdeformitäten, *Dtsch. med. Wochenschr.*, 1920, 46, 169.
- Gage C. — A possible early sign of Perthes disease, *Br. J. Radiol.*, 1933, 6, 295.
- Gage R.G., Cary J.M. — The effects of trochanteric epiphyseodesis on growth of the proximal end of the femur following necrosis of the capital femoral epiphysis, *J. Bone Joint Surg.*, 1980, 62A, 785-794.
- Gershuni D., Axer A., Hendel D.W. — Arthrographic findings in Legg-Perthes disease and transient synovitis of the hip, *J. Bone Joint Surg.*, 1978, 60A, 457-460.
- Halkier E. — The tear shaped phenomenon in Calvé-Perthes disease, *Acta orthop. scand.*, 1956, 25, 287.
- Hardcastle P.H. et coll. — Catterall grouping of Perthes disease, *J. Bone Joint Surg.*, 1980, 62B, 428-431.
- Hauge M.F. — The treatment of coxa plana. A follow up examination, *Acta orthop. scand.*, 1957, 26, 53-65.
- Helbo S. — *Morbus Calvé-Perthes*, Thèse Méd., Copenhague-Odense, 1953.
- Herring J.A., Lundeen M.A., Wenger D.R. — Minimal Perthes disease, *J. Bone Joint Surg.*, 1980, 62B, 25-30.
- Heymann C.H., Herndon C.H. — Legg-Perthes disease, A method for the measurement of the roentgenographic results, *J. Bone Joint Surg.*, 1950, 32A, 767-778.
- Hirohashi K. et coll. — Perthes disease. A classification based on the extent of epiphyseal and metaphyseal involvement, *Int. Orthop.*, 1980, 4, 47-55.
- Howorth M.B. — Coxa plana, *J. Bone Joint Surg.*, 1958, 30A, 601-620.
- Katz J.F. — Legg-Calvé-Perthes disease. Results of treatment, *Clin. Orthop.*, 1957, 10, 61-78.
- Katz J.F. — Arthrography in Legg-Calvé-Perthes disease, *J. Bone Joint Surg.*, 1968, 59A, 467-469.
- Katz J.F. — Late modelling changes in LPC disease with continuing growth to maturity, *Clin. Orthop.*, 1980, 150, 115-124.
- Katz J.F., Siffert R.S. — Capital necrosis, metaphyseal cyst and subluxation in coxa plana, *Clin. Orthop.*, 1975, 106, 75.
- Kemp H.S., Boldero J.M. — Radiological changes in Perthes disease, *Br. J. Radiol.*, 1966, 39, 744-760.
- Lloyd-Roberts G.C., Catterall A. — A controlled study of the indication for and the results of femoral osteotomy in Perthes disease, *J. Bone Joint Surg.*, 1976, 58B, 31-36.
- Mechin J.F., Moulies D. — A propos de la classification des ostéochondrites de hanches, *Ann. orthop. Ouest*, 1978, 10, 67-70.
- Mindell E.R., Sherman M.S. — The late results in Legg-Perthes disease, *J. Bone Joint Surg.*, 1951, 33A, 1-23.
- Mose K. — *Legg-Perthes-Calvé disease*, Thèse Méd., Copenhague-Aarhus, 1964.
- Mose K. — Methods of measuring in LPC disease with special regard to the prognosis, *Clin. Orthop.*, 1980, 150, 103-109.
- O'Garra J.A. — Radiographic changes in Perthes disease, *J. Bone Joint Surg.*, 1959, 41B, 465-476.
- O'Hara J.P. et coll. — Long term follow up of Perthes disease treated non operatively, *Clin. Orthop.*, 1977, 125, 49-56.
- Ponseti I.V., Cotton R.L. — LPC disease. Pathogenesis and evolution, *J. Bone Joint Surg.*, 1961, 43A, 261.
- Pous J.G., Dimeglio A. — La hanche en croissance. Problèmes orthopédiques, Paris, Cahier Baillières, 1976.
- Ralston E.L. — Legg-Calvé-Perthes disease factors in heading, *J. Bone Joint Surg.*, 1961, 43A, 249-260.
- Schiller M.G., Axer A. — LPC syndrome. A critical analysis of roentgenographic measurements, *Clin. Orthop.*, 1972, 86, 34-42.
- Schwarz E. — Eine typische Erkrankung der oberen Femurepiphyse, *Arch. Chir.*, 1937, 188, 91.
- Sjövall M. — Zur Frage der Behandlung der Coxa plana, *Acta orthop. scand.*, 1942, 13, 324-353.
- Sundt M. — Further investigation respecting malum coxae Calvé-Perthes with special regard to the prognosis and treatment, *Acta chir. scand. (Suppl.)*, 1949, n° 148, 0-101.
- Waldenström H. — Der obere tuberkulöse Collumherd, *Z. orthop. Chir.*, 1904, 24, 487.
- Waldenström H. — The definite form of the coxa plana, *Acta radiol. scand.*, 1922, 1, 384-395.
- Waldenström H. — First stages of coxa plana, *J. Bone Joint Surg.*, 1938, 20, 559-566.
- Weissmann S.L. et coll. — Les images radiologiques précoces de l'ostéochondrite de la hanche de l'enfant, *Rev. Chir. orthop.*, 1961, 47, 245-248.
- Wiberg G. — Studies on dysplastic acetabula and congenital subluxation of the hip joint with special reference to the complications of osteoarthritis, *Acta chir. scand. (Suppl.)*, 1939, n° 58, 83.
- Gickler H. — Frühfälle der Pertheschen Erkrankung, *Fortschr. Röntgenstr.*, 1937, 55, 441.
- Hilgenreiner H. — Beitrag zur Ätiologie der Osteochondritis coxae juvenilis, *Med. Klin.*, 1937, 29, 494.
- Meyer J. — Dysplasia epiphysialis capitis femoris, *Acta orthop. scand.*, 1964, 34, 183-197.

Formes cliniques

Ostéochondrite du petit enfant Maladie de Meyer

- Clarke T.E. et coll. — Legg Perthes disease in children less than four years old, *J. Bone Joint Surg.*, 1978, 60A, 166-168.
- Fischer R.L. — An epidemiological study of LPC disease, *J. Bone Joint Surg.*, 1972, 54A, 769-777.

Pedersen E.K. — Dysplasia epiphysialis capitis femoris. *J. Bone Joint Surg.*, 1960, 42B, 663.
Snyder C.R. — Legg-Perthes disease in the young hip. Does it necessarily do well? *J. Bone Joint Surg.*, 1975, 57A, 751-759.

Formes abortives Irrégularités physiologiques

Emr J., Komproa J. — Developmental variation in epiphyseogenesis of the femoral head on the unaffected in unilateral Perthes disease. *Sb. Ved. Pr. Lek. Fak. Univ. Karlovy*, 1968, 11, 237-44.
Harrison M.H.M., Blakemore M.E. — A study of the « normal » hip in children with unilateral Perthes disease. *J. Bone Joint Surg.*, 1980, 62B, 31-36.
Katz J.F. — « Abortive » Legg-Perthes-Calvé disease or developmental variation in epiphyseogenesis of the upper femur. *J. Mt Sinai Hosp.*, 1965, 32, 651-659.
Katz J.F. — Minimal Legg-Calvé-Perthes disease. *J. Mt Sinai*, 1968, 35, 408-416.
Matumoto Y., Mizuno S. — Role of the blood flow in the femoral head. *Med. J. Osaka Univ.*, 1966, 16, 431-463.
Mizuno S. et coll. — Pathological histology of Legg-Perthes-Calvé disease with a special reference to its experimental production. *Med. J. Osaka Univ.*, 1966, 17, 177-209.

Formes bilatérales

Nevelös A.B. — Bilateral Perthes disease. *Acta orthop. scand.*, 1980, 51, 649-654.

Formes récidivantes

Axer A.M.D., Hendel D.M.D. — Recurrent Legg-Calvé-Perthes disease. A case report. *Clin. Orthop.*, 1977, 126, 170-171.
Bjerkreim I., Foss Hauge M. — So-called recurrent Perthes disease. *Acta orthop. scand.*, 1976, 47, 181-185.
Caffey J.P. — *Pediatric X-Ray diagnosis*, 4^e éd., p. 973. Chicago, Year book medical, 1961.
Katz J.F. — Recurrent Legg-Calvé-Perthes disease. *J. Bone Joint Surg.*, 1973, 55A, 833-836.
Kemp H.B.S., Cholmeley J.A. — Recurrent Perthes disease. *Br. J. Radiol.*, 1971, 44, 675-681.

Ostéochondrite disséquante

Brailsford J.F. — *The radiology of bones and joints*, 4^e éd., p. 265. Londres, Churchill, 1948.
Evans D.L. — Legg-Calvé-Perthes disease. *J. Bone Joint Surg.*, 1958, 40B, 168.
Freehafer A.A. — Osteochondritis dissecans following Legg-Calvé-Perthes disease. *J. Bone Joint Surg.*, 1960, 42A, 777.
Freund E. — Osteochondritis dissecans of the head of the femur. Partial idiopathic aseptic necrosis of the femoral head. *Arch. Surg.*, 1939, 39, 323.

Goff C.W., Shutkin N.M., Hersey M.R. — *Legg-Calvé-Perthes disease and related osteochondrosis of youth*. Springfield, C.C. Thomas, 1954.

Gossling H.R., McArthur R. — Osteochondritis dissecans of the hip as a sequela to Legg-Calvé-Perthes disease. pp. 807-834. In: *XI^e congrès SICOT. Mexico, Bruxelles. Delchef J.*, 1970.

Guilleminet M., Barbier J.M. — Osteochondritis dissecans of the hip. *J. Bone Joint Surg.*, 1957, 39B, 268-277.

Haas A. — Umbau von Perthes'scher Krankheit in Osteochondritis dissecans. *Zentralb. Chir.*, 1937, 64, 2873.

Hallel M.D., Eduardo A., Salvati M.D. — Osteochondritis dissecans following Calvé-Perthes disease. *J. Bone Joint Surg.*, 1976, 58A, 708-711.

Harrison M.H.M., Schajowicz F., Trueta J. — Osteoarthritis of the hip: a study the nature and evolution of the disease. *J. Bone Joint Surg.*, 1953, 35B, 598.

Jenkins S.A. — Osteochondritis dissecans of the hip. *J. Bone Joint Surg.*, 1958, 40B, 827.

Kamhi E., McEwen G.D. — Osteochondritis dissecans in Legg-Calvé-Perthes disease. *J. Bone Joint Surg.*, 1975, 57A, 651-654.

Katz J.F., Siffert R.S. — Osteochondritis dissecans in association with Legg-Calvé-Perthes disease. *Int. Orthop.*, 1979, 3, 189-195.

König F. — Über freie Körper in den Gelenken. *Dtsch. Z. Chir.*, 1887, 27, 90.

Magnin R. — *L'ostéochondrite disséquante de la hanche*. Thèse Méd., Paris, 1931.

Mindell E.R., Sherman M.S. — Late results in Legg-Perthes disease. *J. Bone Joint Surg.*, 1951, 33A, 1.

Moulouguet P. — Ostéochondrite disséquante de la hanche (Maladie de König de la tête fémorale). *Bull. Soc. nat. Chir.*, 1932, 58, 471.

Morris M.L., McGibbon K.C. — Osteochon-

dritis dissecans following Legg-Calvé-Perthes disease. *J. Bone Joint Surg.*, 1962, 44B, 562.

O'Garra J.A. — The radiographic changes in Perthes disease. *J. Bone Joint Surg.*, 1959, 41B, 465.

Osterman K., Lindholm T.S. — Osteochondritis dissecans following LPC disease. *Clin. Orthop.*, 1980, 152, 247-254.

Pantazopoulos T. et coll. — Osteochondritis dissecans following coxa plana. *Acta orthop. scand.*, 1972, 43, 532-538.

Petrie P.W.R. — Osteochondritis of the hip following Perthes disease. *J. Bone Joint Surg.*, 1970, 52B, 799.

Ratliff A.H.C. — Pseudocoxalgia. *J. Bone Joint Surg.*, 1956, 38B, 498.

Ratliff A.H.C. — Osteochondritis dissecans following Legg-Calvé-Perthes disease. *J. Bone Joint Surg.*, 1967, 49B, 108-111.

Roberts N. — Osteochondritis dissecans of the elbow joint. *J. Bone Joint Surg.*, 1950, 32B, 348-360.

Smillie I.S. — *Osteochondritis dissecans*. p. 112. Londres et Edimbourg, Livingstone, 1960.

Stillman B.C. — Osteochondritis dissecans and coxa plana. *J. Bone Joint Surg.*, 1966, 48B, 64-81.

Ostéochondrite du cotyle

Fröhlich A. — Ostéochondrite de la hanche limitée au cotyle : coxite avec luxation progressive. *Rev. orthop.*, 1929, 16, 200.

Lefaucher C., Lardennois R., Drouard F. — Une localisation inédite de la nécrose osseuse juvénile : le toit du cotyle. *Ann. Chir. infant.*, 1966, 7, 349-353.

Lipscomb P.R., Chatterton C.C. — Osteochondritis juvenilis of the acetabulum. *J. Bone Joint Surg.*, 1942, 24, 372-381.

Diagnostic différentiel

Affection pouvant simuler la maladie de LPC

Tuberculose

Ombredanne L. — *Précis clinique et opératoire de chirurgie infantile*, 4^e éd., pp. 852-882. Paris, Masson, 1944.

Chondromatose

Cahuzac J.P. et coll. — La chondromatose synoviale de l'enfant (à propos de 4 observations). *Chir. pediatri.*, 1979, 20, 89-93.

Jeffrey T.E. — Synovial chondromatosis. *J. Bone Joint Surg.*, 1967, 49B, 530-534.

Mactur R.R. — Ostéochondromatose of the hip joint. *J. Bone Joint Surg.*, 1967, 44A, 87-97.

Myxœdème

Albright F. — Changes simulating Legg-

Perthes disease due to juvenile myxoedema. *J. Bone Joint Surg.*, 1938, 20, 764.

Benjamin B., Miller P.R. — Hypothyroidism as a cause of disease of the hip. *Am. J. Dis. Child.*, 1938, 55, 1189-1211.

Floret D. — Les lésions de l'articulation de la hanche et leur évolution au cours du myxoedème congénital de l'enfant. *Pédiatrie*, 1974, 24, 495-525.

Job J.C., Pierson M. — *Endocrinologie pédiatrique et croissance*. Paris, Flammarion, 1978.

Lang F.I. — Mikroskopische Befunde bei juveniler Arthritis deformans. *Virchows Arch. pathol. Anat.*, 1922, 239, 76.

Läwen A. — Zur Kenntnis der Wachstumsstörungen am Kretinenskelett. *Dtsch. Z. Chir.*, 1909, 101, 454.

Sterling K. — Thyroid hormone action at the cell level. *New Engl. J. Med.*, 1979, 300, 117-122, 173-177.

Wilkins L. — Epiphyseal dysgenesis associated with hypothyroidism. *Am. J. Dis. Child.*, 1941, 61, 13-34.

Ostéochondrodysplasies

Elsbach L. — Bilateral hereditary micro-epiphyseal dysplasia of the hip. *J. Bone Joint Surg.*, 1959, 41B, 514-523.

Fairbank K.T. — Dysplasia epiphysealis multiplex. *Br. J. Surg.*, 1947, 34, 325.

Finidori G. et coll. — La hanche dans le syndrome tricho-rhino-phalangien. *Rev. Chir. orthop.*, 1980, Suppl. 2, 66, 100-106.

Giedion A. — Das Tricho-rhino-phalangeale Syndrom. *Helv. paediatr. Acta*, 1966, 21, 475-485.

Kaufmann H., Kozlowski. Maroteaux P. — Nomenclature internationale des maladies osseuses constitutionnelles. Table ronde. *Ann. Radiol.*, 1969, 12, 965-1007.

Maroteaux P. — *Maladies osseuses de l'enfant*. Paris, Flammarion, 1974.

Monty C.P. — Familial Perthes' disease resembling multiple epiphyseal dysplasia. *J. Bone Joint Surg.*, 1962, 44B, 565-568.

Ribbing S. — Studien über hereditäre multiple Epiphysestörungen. *Acta Radiol. (Suppl.)* 1937, n° 34.

Smith D.W. — *Recognizable patterns of human malformation*. Toronto, Saunders, 1976.

Spranger J. — Constitutional disorders for skeletal development. The skeletal dysplasias. *Prog. orthop. Surg.*, 1978, 2, 157-182.

Spranger J., Langer L.O., Wiedemann H.R. — *Bone dysplasias. An atlas of constitutional disorders of skeletal development*. Toronto, Saunders, 1974.

Ostéonécroses secondaires

Après luxation congénitale de la hanche

Bucholz R.W., Ogden J.A. — Patterns of ischemic necrosis of the proximal femur in non operatively treated congenital hip disease. In : *The Hip* (The hip society), pp. 43-63. St-Louis, CV Mosby, 1978.

Burwell R.G. — Perthes' disease. *J. Bone Joint Surg.*, 1978, 60B, 1-3.

Buxton R.A., McCullough C.J. — Healing of osteochondritis dissecans following congenital dislocation of the hip. *Clin. Orthop.*, 1980, 147, 157-159.

Courtois B. et coll. — Traitement ambulatoire de la luxation congénitale de la hanche dans les premiers mois par un harnais en hyperflexion. *Rev. Chir. orthop.*, 1980, 66, 75-82.

Dubouset J. — *Les ostéotomies modifiant simultanément l'inclinaison et la déclinaison du col fémoral dans le traitement des luxations congénitales de la hanche chez l'enfant*. Thèse Méd., Paris, 1965.

Gage J.R., Winter R.B. — Avascular necrosis of the capital femoral epiphysis as a complication of closed reduction of congenital dislocation of the hip. *J. Bone Joint Surg.*, 1972, 54A, 373-388.

Gore D.R. — Iatrogenic avascular necrosis of the hip in young children. *J. Bone Joint Surg.*, 1974, 56A, 493-502.

Herold H.Z. — Avascular necrosis of the femoral head due to malposition in untreated congenital dislocation of the hip. *Int. Orthop.*, 1979, 2, 293-296.

Ilfeld F.W., Makin M. — Damage to the capital femoral epiphysis due to Frejka pillow treatment. *J. Bone Joint Surg.*, 1977, 59A, 654-658.

Kalamchi A., McEwen G. — Avascular necrosis following treatment of congenital dislocation of the hip. *J. Bone Joint Surg.*, 1980, 62A, 876-888.

Kohler R., Chappuis J.P., Perret M. — Traitement de la luxation congénitale de hanche avant l'âge de 6 mois par la méthode de Somerville-Petit. *Rev. Chir. orthop. (Suppl. II)* 1981, 67.

Lindhölm T.S. et coll. — Perthes' disease of a severe type developing after satisfactory closed reduction of congenital dislocation of the hip. *J. Bone Joint Surg.*, 1978, 60B, 15-17.

Mizuno S. et coll. — Pathological histology of the LCPD with a special reference to its experimental production. *Med. J. Osaka Univ.*, 1966, 17, 177-209.

Morel G. — Traitement de la malformation luxante de la hanche après l'âge de la marche. *Encycl. méd.-chir.*, 1976, B 50, 15 225.

Ogden J.A., Moss H.L. — Pathologic anatomy of congenital hip disease. *Prog. orthop. Surg.*, 1978, 2, 3-45.

Petit P. — Osteochondritis in congenital dislocation of the hip. *J. Bone Joint Surg.*, 1955, 37B, 513.

Petit P., Queneau P., Carlzio H., Dubouset J., Lebard J.P., Mechin J.F. — Le traitement de la luxation de la hanche dite congénitale. In : Groupe Robert Méary. *La hanche* (Monographie des Annales de Chirurgie), pp. 5-53. Paris, Expansion Scientifique Française, 1974.

Pous J.G., Dimeglio A., Daoud A. — Que reste-t-il de l'extension continue dans le traitement de la luxation congénitale de hanche ? *Rev. Chir. orthop.*, 1979, 65, 327-332.

Raimbeau G., Mallet J. — Les troubles vasculaires iatrogènes dans le traitement de la maladie luxante. In : Mallet J., *Maladie luxante congénitale de la hanche* (Cahiers d'enseignement de la SOFCOT n° 9), pp. 11-26. Paris, Expansion Scientifique Française, 1979.

Rengeval J.P. et coll. — Résultats en fin de croissance du traitement de la luxation congénitale de hanche à l'âge de la marche par la méthode de Somerville-Petit. *Rev. Chir. orthop.*, 1980, 66, 83-93.

Robert H., Seringe R. — Les ostéochondrites au cours du traitement de la luxation congénitale de la hanche. A paraître.

Salter R.B., Kostuik J., Dallas S. — Avascular necrosis of the femoral head as a complication of treatment for congenital dislocation of the hip in young children. *Can. J. Surg.*, 1969, 12, 44-61.

Scott J.C. — Frame reduction in congenital dislocation of the hip. *J. Bone Joint Surg.*, 1953, 35B, 372.

Siffert R.S. — Osteochondrosis of the proximal femoral epiphysis. In : *A.A.O.S. Instructional Course Lectures*, pp. 270-285. St-Louis, CV Mosby, 1973.

Somerville E.W., Scott J.C. — The direct approach to congenital dislocation of the hip. *J. Bone Joint Surg.*, 1957, 39B, 623-640.

Taussig G., Delor M.H., Masse P. — Les altérations de croissance de l'extrémité supérieure du fémur. *Rev. Chir. orthop.*, 1976, 62, 191-210.

Weissman S.L. — Troubles de croissance de l'extrémité proximale du fémur dans les suites du traitement de la luxation congénitale de la hanche. *Rev. Chir. orthop.*, 1969, 55, 331-340.

Weissman S.L. — Osteochondritis dissecans following congenital dislocation of the hip. *J. Bone Joint Surg.*, 1974, 56B, 454-457.

Après fracture du col

Boitzy A. — *La fracture du col du fémur chez l'enfant et l'adolescent*, pp. 115-155. Paris, Masson, 1971.

Carrell B., Carrel W.B. — Fractures in the neck of the femur in children with particular reference to aseptic necrosis. *J. Bone Joint Surg.*, 1941, 23, 225-239.

Durbin F.C. — Avascular necrosis complicating undisplaced fractures of the neck of femur in children. *J. Bone Joint Surg.*, 1959, 41B, 758-762.

Ingram J.A., Bachynski B. — Fractures of the hip in children. Treatment and results. *J. Bone Joint Surg.*, 1953, 35A, 867-886.

Lam S.F. — Fracture of the neck of the femur in children. *J. Bone Joint Surg.*, 1971, 53A, 1165-1179.

Mathiot J.M. — *Fractures du col du fémur chez l'enfant (12 cas)*. Thèse Méd., Lyon, 1966.

McDougall A. — Fractures of the neck of femur in childhood. *J. Bone Joint Surg.*, 1961, 43B, 16-28.

Ratliff A.H.C. — Fractures of the neck of the femur in children. *J. Bone Joint Surg.*, 1962, 44B, 528-542.

Ratliff A.H.C. — Complications after fractures of the femoral neck in children and their treatment. *J. Bone Joint Surg.*, 1970, 52B, 175.

Rigault P. et coll. — Fractures du col du fémur chez l'enfant. *Rev. Chir. orthop.*, 1966, 52, 325-336.

Touzet Ph., Rigault P. — Les fractures du col du fémur chez l'enfant (43 cas). *Rev. Chir. orthop.*, 1979, 65, 341-349.

Après luxation traumatique de la hanche

Choyce C.C. — Traumatic dislocation of the hip in childhood and relation of trauma to pseudocoxalgia. *Br. J. Surg.*, 1924, 12, 52.

Glass A., Powell H.D.W. — Traumatic dislocation of the hip in children. *J. Bone Joint Surg.*, 1961, 43B, 29-37.

Haliburton R.A., Brockewshire F.A., Barber J.R. — Avascular necrosis of the femoral capital epiphysis after traumatic dislocation of the hip in children. *J. Bone Joint Surg.*, 1961, 43B, 43-46.

King D., Richard V. — Fracture dislocation of the hip joint. *J. Bone Joint Surg.*, 1941, 23, 533.

Mason M.L. — Traumatic dislocation of the hip in childhood. *J. Bone Joint Surg.*, 1954, 36B, 630.

Piggot J. — Traumatic dislocation of the hip in childhood. *J. Bone Joint Surg.*, 1961, 43B, 38-42.

Rigault P., Hannouche D., Iudet J. — Luxations traumatiques de la hanche et fractures du cotyle, chez l'enfant. *Rev. Chir. orthop.*, 1968, 54, 361-382.

Stewart M.J., Milford L.W. — Fracture dislocation of the hip. *J. Bone Joint Surg.*, 1959, 37A, 1266.

Watson Jones R. — *Fractures and joint injuries*, 4^e éd. Edimbourg-Londres. Livingstone, 1952.

Après épiphysiolyse

Carloz H., Pous J.G., Rey J.C. — Epiphysiolysse fémorale supérieure (rapport SOFCOT 1968). *Rev. Chir. orthop.*, 1968, 54, 387-491.

Dunn D.M. — The treatment of adolescent slipping of the upper femoral epiphysis. *J. Bone Joint Surg.*, 1964, 46B, 621-629.

Dunn D.M., Angel J.C. — Replacement of the femoral head by open operation in severe adolescent slipping of the upper femoral epiphysis. *J. Bone Joint Surg.*, 1978, 60B, 394-403.

Lance D. et coll. — La chondrolyse ou coxite laminaire juvénile après épiphysiolysse fémorale supérieure. *Rev. Chir. orthop.*, 1981, 67, 437-450.

Rey J.C., Carloz H. — Epiphysiolyses à grand déplacement. Réduction sanglante par la technique de Dunn. *Rev. Chir. orthop.*, 1975, 61, 261-273.

Taillard W. — Die Epiphyseolysis capitis femur. *Doc. Geigy*, 1964, n° 21.

Hémophilie

Arnold W.D., Hilgartner M.W. — Hemophilic arthropathy. *J. Bone Joint Surg.*, 1977, 59A, 287-305.

Jordan H.H. — *Hemophilic arthropathies*. Springfield, C.C. Thomas, 1959.

Winston M.E. — Haemophilic arthropathy of the hip. *J. Bone Joint Surg.*, 1952, 34B, 412.

Witvoet J. — Problèmes orthopédiques posés par l'hémophilie. In : *Orthopédie et traumatologie. Conférences d'enseignement 1973* (SOF-COT), pp. 129-165. Paris, Expansion Scientifique Française, 1974.

Maladie de Gaucher

Amstutz H.C., Carey E.J. — Skeletal manifestations and treatment of Gaucher's disease. *J. Bone Joint Surg.*, 1966, 48A, 670-701.

Katz J.F. — Recurrent avascular necrosis of the epiphysis in the same hip in Gaucher's disease. *J. Bone Joint Surg.*, 1967, 49A, 514-518.

Hémoglobinoopathies

Chung S.M.K., Ralston E. — Necrosis of the femoral head associated with sickle-cell anemia

and its genetic variants. *J. Bone Joint Surg.*, 1969, 51A, 33-58.

Golding J.S.R., Maciver J.E., Went L.N. — The bone changes in sickle-cell anemia and its genetic variants. *J. Bone Joint Surg.*, 1959, 41B, 711-718.

Kimmelstiel P. — Vascular occlusion and ischemia infarction in sickle-cell disease. *Am. J. med. Sc.*, 1948, 216, 11.

Middlemiss J.H., Raper A.B. — Skeletal changes in haemoglobinopathies. *J. Bone Joint Surg.*, 1966, 48B, 693-702.

Sherman M. — Pathogenesis of disintegration of the hip in sickle-cell anemia. *South. med. J.*, 1959, 52, 632-637.

Tanaka K.R., Clifford G.O., Axelrod A.R. — Sickle-cell anemia with aseptic necrosis of femoral head. *Blood*, 1956, 2, 998.

Après transplantation rénale

Alavi A., McCloskey J.R., Steinberg M.E. — Early detection of avascular necrosis of the femoral head by 99 m Technetium diphosphate. *Clin. Orthop.*, 1977, 127, 137-141.

Briggs W.A. et coll. — Aseptic necrosis in the femur after renal transplantations. *Ann. Surg.*, 1972, 175, 282-289.

Cruess R.L. — Cortisone induced avascular necrosis of the femoral head. *J. Bone Joint Surg.*, 1977, 59B, 308-317.

Cruess R.L. et coll. — Aseptic necrosis following renal transplantation. *J. Bone Joint Surg.*, 1968, 50A, 1577-1590.

Cruess R.L., Ross D., Craschaw E. — The etiology of steroid induced avascular necrosis of bone. *Clin. Orthop.*, 1975, 113, 178-183.

D'Ambrosia R.D., Shoji H., Riggins R.S. — Scintigraphy in the diagnosis of osteonecrosis. *Clin. Orthop.*, 1978, 130, 139-143.

Fisher D.E. — Corticosteroid induced avascular necrosis. A clinical study of seventy-seven patients. *J. Bone Joint Surg.*, 1971, 53A, 859-873.

Fournier A. et coll. — Physiopathologie de l'ostéodystrophie rénale au cours de l'hémodia-

lyse chronique et après transplantation rénale. *Nouv. Presse méd.*, 1971, 50, 2291.

Griffiths H. et coll. — Skeletal changes following renal transplantation. *Radiology*, 1974, 113, 621-626.

Harrington K.D. et coll. — Avascular necrosis of bone after renal transplantation. *J. Bone Joint Surg.*, 1971, 53A, 203-215.

Jaffe W.L. et coll. — The effect of cortisone on the femoral and humeral heads in rabbits: an experimental study. *Clin. Orthop.*, 1972, 82, 221-228.

Jones J.P., Engleman E.P., Najarian J.S. — Systemic fat embolism after renal homotransplantation and treatment with corticosteroids. *New Engl. J. Med.*, 1965, 273, 1453-1458.

Lecestre P. et coll. — L'ostéonécrose aseptique chez le transplanté rénal. A propos de 27 cas opérés. *Rev. Chir. orthop.*, 1977, 63, 373-391.

Moran T.J. — Cortisone induced alteration in lipid metabolism: morphologic and serologic observations in rabbits. *Arch. Pathol.*, 1962, 73, 300-312.

Paolaggi J.B. et coll. — Ostéonécroses cortisoniques. Reproduction expérimentale. *Nouv. Presse méd.*, 1979, 50, 4112.

Pietrogrande V., Mastomaro R. — Osteopatia da prolungato corticostico. *Ortop. Traum. Appar. mot.*, 1957.

Starzl T.E. et coll. — Renal homotransplantation. Late function and complications. *Ann. intern. Med.*, 1964, 61, 470-497.

Stern P.J., Watts H.G. — Osteonecrosis after renal transplantation in children. *J. Bone Joint Surg.*, 1979, 61A, 851-856.

Après ostéoartrites

Courtois B., Verge J., Moison J. — Séquelle éloignée d'une arthrite de la hanche chez l'enfant. *Ann. orthop. Ouest*, 1975, 7, 27-29.

Gaubert J., Lasserre J. — Symposium sur les ostéoartrites aiguës et arthrites pures aiguës du nouveau-né et du nourrisson. *Ann. Chir. infant.*, 1972, 15, 17-456.

Méthodes thérapeutiques

Traitement orthopédique

Blanchet A., Jouvinroux P., Lauer C. — L'ostéochondrite primitive de la hanche. *Cah. Kinésithér.*, 1976, 59, 7-31.

Bobechko W.P., McLaurin B.A., Motloch W.M. — Toronto orthosis for Legg-Perthes disease. *Artif. Limbs*, 1968, 12, 36-40.

Brotherton B.J., McKibbin B. — Perthes disease treated by prolonged recumbency and femoral head containment: a long term appraisal. *J. Bone Joint Surg.*, 1977, 59B, 8-15.

Butel J. et coll. — L'association du traitement chirurgical à la décharge ambulatoire dans la maladie de LPC. *Acta orthop. belg.*, 1979, 45, 229-242.

Curtis B.H. et coll. — Treatment for Legg-Perthes disease with the Newington ambulation abduction brace. *J. Bone Joint Surg.*, 1974, 56A, 1135-1146.

Danforth M.S. — The treatment of Legg-Perthes disease without weight bearing. *J. Bone Joint Surg.*, 1934, 16, 516-534.

Eyre-Brook A.L. — Osteochondritis deformans coxae juvenilis or Perthes disease. The results of treatment by traction in recumbency. *Br. J. Surg.*, 1936, 24, 166-182.

Ferguson A.B. — LPC disease. *Clin. Orthop.*, 1954, 4, 180-188.

Gill B. — Legg-Perthes disease of the hip: its early roentgenographic manifestation and its cyclical course. *J. Bone Joint Surg.*, 1940, 22, 1013-1047.

Harisson M.H.M., Turner M.H., Nicholson F.J. — Result of a new form of splinting. *J. Bone Joint Surg.*, 1969, 51A, 1057-1069.

Imhäuser G. — Traitement de la maladie de Perthes par le repos. Expérience de 17 ans

- (résumé en français). *Z. Orthop.*, 1970, 107, 553-558.
- Karamidas J.E. — Conservative treatment of coxa plana. *J. Bone Joint Surg.*, 1971, 53A, 315-325.
- King E.W. et coll. — Ambulation abduction treatment in Legg-Calvé-Perthes disease. *Clin. Orthop.*, 1980, 150, 43-48.
- Kohler Cl., Aimard P. — Le développement psycho-affectif de l'enfant. *Monogr. Horizons méd.*, 1974.
- O'Hara J.P. et coll. — Long term follow up of Perthes disease treated non operatively. *Clin. Orthop.*, 1977, 125, 49-56.
- Parker A.O. — Cité par Harrison M.H.M. et Menon M.P.A. *J. Bone Joint Surg.*, 1966, 48A, 1301.
- Petrie J.G., Bitenc I. — The abduction weight bearing treatment in Legg-Perthes disease. *J. Bone Joint Surg.*, 1950, 32A, 663-670.
- Pike M.M. — Legg-Perthes disease. *J. Bone Joint Surg.*, 1950, 32A, 663-670.
- Purvis J.M. et coll. — Preliminary experience with the Scottish Rite Hospital. Abduction orthosis for Legg-Perthes disease. *Clin. Orthop.*, 1980, 150, 49-53.
- Rainville-Delamare C., Salaire M. — L'ostéochondrite primitive de la hanche. Traitement orthopédique et rééducation. *Ann. Méd. phys.*, 1977, 20, 121-135.
- Schwartz E. — Eine typische Erkrankung die oberen Femurepiphyse. *Brun's Beitr. klin. Chir.*, 1914, 93, 1.
- Snyder C.H. — A sling for use Legg-Perthes disease. *J. Bone Joint Surg.*, 1947, 29, 524-526.
- Tachdjian M.A., Jouett L.D. — Trilateral socket hip abduction arthrosis for the treatment of Legg-Perthes disease. *Orthotics and Prosthetics*, 1968, 22, 49-62.
- Thomas G. — Discussion de la communication de Snyder. *J. Bone Joint Surg.*, 1947, 29, 524-526.
- Thomassen E. — *Orthopaedisk Kirurgi. Laerebog for Sygepleieelever Nyt Nordisk Forlag*, pp. 246-249, Copenhagen, Busk, 1969.
- Van Audekercke R. — Aspects biomécaniques de l'orthèse de Tachdjian dans la maladie de LPC. In : *Journées Printemps de la SOFCOT*, Bruges, 1979.
- ### Traitement chirurgical
- #### Opérations à visée pathogénique
- Bertrand P. — Technique de greffe intra-épiphysaire dans le traitement de la coxa plana. *Rev. Chir. orthop.*, 1954, 40, 116-120.
- Bozsán E.J. — A new treatment of intracapsular fractures of the neck of the femur and Legg-Calvé-Perthes disease. *J. Bone Joint Surg.*, 1932, 14, 884.
- Bozsán E.J. — A new treatment of intracapsular fractures of the neck of the femur and Legg-Calvé-Perthes disease. Technique. *J. Bone Joint Surg.*, 1934, 16, 75-87.
- Cathro A.J.M., Kirkaldy W.H. — Treatment of Perthes disease of the hip by cancellous bone grafting. *J. Bone Joint Surg.*, 1963, 45B, 284-291.
- De Camargo F.P. — Revascularization of the neck of the femur in Legg-Calvé-Perthes syndrome. *Clin. Orthop.*, 1957, 10, 79-86.
- Ferguson A.B., Howorth M.B. — Coxa plana and related conditions of the hip. *J. Bone Joint Surg.*, 1934, 16, 781-803.
- Howorth M.B. — Coxa plana. *J. Bone Joint Surg.*, 1948, 30A, 601-620.
- Kidner F.C. — Causes and treatment of Perthes disease. *Am. J. Surg.*, 1916, 14, 339-345.
- Levy L.J., Girard P.M. — Legg-Perthes disease. A comparative study of various methods of treatment. *J. Bone Joint Surg.*, 1942, 3, 663-671.
- Mizuno S. — New surgical procedures for the Legg-Perthes-Calvé disease. *Cent. jap. J. Orthop. Traum. Surg.*, 1964, 7, 139-140.
- Mizuno S. — Pedicled capsular flap operation. In : *Short lectures on orthopedic surgery*, pp. 70-73. Tokyo, Ishiyaku, 1970.
- Pemister D.B. — Operation for epiphysitis head of the femur (Perthes disease); findings and results. *Arch. Surg.*, 1921, 2, 221-230.
- Smillie I.S. — *Osteochondritis dissecans*, pp. 212-221. Glasgow, Livingstone, 1960.
- Steele P.B. — Further report on the operative treatment of Perthes disease. In : *Lectures on Peace and War* (Orthop. Surg.), pp. 136-143. Ann Arbor, Edwards Bros., 1943.
- #### Opérations de recentrage
- Axér A. — Subtrochanteric osteotomy in the treatment of Perthes disease. *J. Bone Joint Surg.*, 1965, 47B, 489-499.
- Axér A. et coll. — Subtrochanteric osteotomy in the treatment of Legg-Calvé-Perthes syndrome (LCPS). *Acta orthop. scand.*, 1973, 44, 31-54.
- Axér A. et coll. — Indications for femoral osteotomy in Legg-Calvé-Perthes disease. *Clin. Orthop.*, 1980, 150, 78-87.
- Bauer R., Junger H. — Intertrochantäre Osteotomie beim Morbus Perthes. *Z. Orthop.*, 1977, 115, 494-504.
- Bedouelle J., Cirotteau Y., Bourquelot P. — L'ostéochondrite juvénile de la hanche ou coxa plana. In : *Journées médico-chirurgicales de l'hôpital Saint-Joseph*. Paris, Expansion Scientifique Française, 1969.
- Butel J. et coll. — L'association du traitement chirurgical à la décharge ambulatoire dans la maladie de Legg-Perthes-Calvé. *Acta orthop. belg.*, 1979, 45, 229-242.
- Canale S.T. et coll. — Innominate osteotomy in Legg-Calvé-Perthes disease. *J. Bone Joint Surg.*, 1972, 54A, 25-40.
- Canario A.T. et coll. — A controlled study of the results of femoral osteotomy in severe Perthes disease. *J. Bone Joint Surg.*, 1980, 62B, 438-440.
- Cartier P., Dagher F. et Morel G. — L'ostéotomie de varisation dans la maladie de Legg Perthes Calvé. *Rev. Chir. Orthop.*, 1976, 62, 27-41.
- Craig W.A. — Etiology and treatment of Legg-Calvé-Perthes syndrome. *J. Bone Joint Surg.*, 1963, 45A, 1325-1326.
- Craig W.A. — The role of antetorsion and trauma in Legg-Calvé-Perthes syndrome. *J. Bone Joint Surg.*, 1964, 44A, 1371-1372.
- Craig W.A. — A review of one hundred hips operated on for Legg-Calvé-Perthes syndrome. *J. Bone Joint Surg.*, 1969, 51A, 814.
- Craig W.A., Kramer W.G. — Combined iliac and femoral osteotomies in LPC syndrome. *J. Bone Joint Surg.*, 1974, 56A, 1314.
- Gouin J.L. et coll. — L'ostéotomie fémorale dans l'ostéochondrite primitive de la hanche de l'enfant (O.P.). *Ann. orthop. Ouest*, 1976, 8, 125-136.
- Guida G., Cicala F., Riccio V. — Les effets de l'ostéotomie intertrochantérienne sur la vascularisation de l'extrémité proximale du fémur (étude expérimentale). *Rev. Chir. orthop.*, 1969, 55, 83-88.
- Laurençon J. — *Ostéochondrite de la hanche. Forme excrétée*. Thèse Méd., Lyon, 1975.
- Laurent L.E., Poussa M.D. — Intertrochanteric varus osteotomy in the treatment of Perthes disease. *Clin. Orthop.*, 1980, 150, 73-77.
- Lloyd-Roberts G.C., Catterall A., Salomon P.B. — A controlled study of the indications for and the results of femoral osteotomy in Perthes disease. *J. Bone Joint Surg.*, 1976, 58B, 31-36.
- Malvin Barer M.D. — Role of innominate osteotomy in the treatment of children with Legg-Perthes disease. *Clin. Orthop.*, 1978, 135, 82-89.
- Marklund T., Tillberg B. — Coxa plana : a radiological comparison of the rate of healing with conservative measures and after osteotomy. *J. Bone Joint Surg.*, 1976, 58B, 25-30.
- Morel G. — Maladie de Legg-Perthes-Calvé : présentation d'une série clinique et indications thérapeutiques. *Acta orthop. Belg.*, 1980, 46, 410-413.
- Padovani J.P., Rigault P. — Triple ostéotomie pelvienne de Pol Le Cœur. Indications chez l'enfant. *Rev. Chir. orthop.*, 1977, 63, Suppl. 2, 24-30.
- Rab G.T. — Biomechanical aspects of Salter osteotomy. *Clin. Orthop.*, 1978, 132, 82-87.
- Rigault P., Pouliquen J.C. — Notre expérience de l'ostéotomie fémorale dans le traitement de l'ostéochondrite primitive de la hanche. *Rev. Chir. orthop.*, 1969, 56, 635-648.
- Rigault P., Pouliquen J.C., Beneux J. — L'ostéotomie fémorale dans le traitement de l'ostéochondrite primitive de la hanche. *Rev. Chir. orthop.*, 1974, 60, 569-581.
- Rogan I.M., Luz M., Handelsman J.E. — Pelvic osteotomy in the treatment of Perthes disease. *J. Bone Joint Surg.*, 1976, 58B, 391.
- Salter R.B. — Innominate osteotomy in the treatment of congenital dislocation and subluxation of the hip. *J. Bone Joint Surg.*, 1961, 43B, 518-539.
- Salter R.B. — Experimental and clinical aspects of the Perthes disease. *J. Bone Joint Surg.*, 1966, 48B, 393-394.
- Salter R.B. — Legg-Perthes disease : Treat-

Evolution à long terme

ment by innominate osteotomy, In : A.A.O.S. Instructional Course Lectures, vol. 22, p. 309. St-Louis, CV Mosby, 1973.

Sœur R., Racker Ch. de — L'aspect anatomo-pathologique de l'ostéochondrite et les théories pathogéniques qui s'y rapprochent. *Acta orthop. belg.*, 1952, 81, 57-101.

Somerville E.W. — Perthes'disease of the hip. *J. Bone Joint Surg.*, 1971, 53B, 639-649.

Suramo I. et coll. — Disturbed patterns of venous drainage of the femoral neck in Perthes'disease. *J. Bone Joint Surg.*, 1974, 56B, 448.

Taussig G., Heripret G. — Maladie de Legg-Perthes-Calvé. A propos de 275 cas. Importance des facteurs mécaniques. Intérêt du traitement chirurgical. *Rev. Chir. orthop.*, 1969, 55, 305-330.

Trias A. — Femoral osteotomy in Perthes disease. *Clin. Orthop.*, 1978, 137, 195-207.

Les séquelles

Chiari K. — Medial displacement osteotomy of the pelvis. *Clin. Orthop.*, 1974, 98, 55-71.

Gage J.B., Cary J.M. — The effects of trochanteric epiphyseodesis on growth of the proximal end of the femur following necrosis of the capital femoral epiphysis. *J. Bone Joint Surg.*, 1980, 62A, 785-794.

Garceau G. — Surgical treatment of coxa plana. *J. Bone Joint Surg.*, 1964, 46B, 779-780.

Garceau G. — Excision of protruding portion of femoral head. *J. Bone Joint Surg.*, 1973, 55A, 1313.

Klisc P., Seferovic O., Blazevic V. — Indications for treatment in LPC disease. *Int. Orthop.*, 1977, 1, 33-35.

Langenskiöld A., Salenius P. — Epiphyseodesis of the greater trochanter. *Acta orthop. scand.*, 1967, 38, 199-219.

Lloyd-Roberts G.C. — Osteoarthritis of the hip. A study of the clinical pathology. *J. Bone Joint Surg.*, 1955, 37B, 8-47.

Michel C.R., Onimus M., Picault C. — Le traitement des séquelles d'ostéochondrite de la hanche par l'ostéotomie de Chiari. *Chir. pédiatr.*, 1979, 20, 397-402.

Ruelle M. — La coxarthrose. Etude de 1 000 données radiocliniques. *J. belge Méd. phys. Rhum.*, 1961, 16, 113-123.

Rogan I.M. — Pelvic osteotomy in the treatment of Perthes'disease. *J. Bone Joint Surg.*, 1976, 58B, 391.

Somerville E.W. — Perthes'disease of the hip. *J. Bone Joint Surg.*, 1971, 53B, 639-649.

Wagner H. — Femoral osteotomies for congenital hip dislocation. *Prog. orthop. Surg.*, 1978, n° 2, 85-105.

Bombelli R. — Osteoarthritis of the hip. *Pathogenesis and consequent therapy*. Berlin, Springer, 1976.

Brotherton B.J., McKibbin B. — Perthes'disease treated by prolonged recumbency and femoral head containment: a long term appraisal. *J. Bone Joint Surg.*, 1977, 59B, 8-14.

Danielsson L.G. — Incidence and prognosis of coxarthrosis. *Acta orthop. scand. (Suppl.)* 1964, n° 66.

Danielsson L.G., Hernborg J. — Late results of Perthes'disease. *Acta orthop. scand.*, 1965, 36, 70-81.

Eaton G.O. — Long term results of treatment in coxa plana. *J. Bone Joint Surg.*, 1967, 48A, 1031-1042.

Eyre-Brook A.L. — Osteochondritis deformans coxae juvenilis or Perthes disease. *Br. J. Surg.*, 1936, 24, 166-182.

Evans D.L. — Legg-Calvé-Perthes'disease. A study of late results. *J. Bone Joint Surg.*, 1958, 40B, 168-181.

Glimcher M.J. — Biological and mechanical considerations in the genesis of clinical abnormalities. *Orthop. Rev.*, 1979, 8, 33.

Gower W.E., Johnston R.C. — Legg-Perthes'disease. Long term follow-up of thirty six patients. *J. Bone Joint Surg.*, 1971, 53A, 759-768.

Harris W.H. — Traumatic arthritis of hip after dislocation and acetabular fractures. Treatment by mold arthroplasty. An end result study using a new method of result evaluation. *J. Bone Joint Surg.*, 1969, 51A, 737.

Harrison M.H.M., Blakemore M.E. — A study of the « normal » hip in children with unilateral Perthes'disease. *J. Bone Joint Surg.*, 1980, 62B, 31-36.

Harrison M.H.M., Schajowicz F., Trueta J. — Osteoarthritis of the hip: a study of the nature and evolution of the disease. *J. Bone Joint Surg.*, 1953, 35B, 598.

Helbo S. — *Morbus Calvé-Perthes*, Thèse Méd., Copenhagen, Odense, 1953.

Jerre T. — A study in slipped upper femoral epiphysis. *Acta orthop. scand. (Suppl.)*, 1950, n° 6.

Kamhi E., McEwen G.D. — Treatment of Legg-Calvé-Perthes disease. Prognostic value of Catterall's classification. *J. Bone Joint Surg.*, 1975, 57A, 651-654.

Legg A.T. — The end results of coxa plana. *J. Bone Joint Surg.*, 1927, 9, 26-36.

Lloyd-Roberts G.C. — Osteoarthritis of the hip. A study of the clinical pathology. *J. Bone Joint Surg.*, 1955, 37B, 8-47.

Merle d'Aubigné R., Cauchoix J., Ramadier J.O. — Evaluation chiffrée de la fonction de la hanche. Application à l'étude des résultats des opérations mobilisatrices. *Rev. Orthop.*, 1949, 35, 541-548.

Mindell E.R., Sherman M.S. — Late results in Legg-Perthes'disease. *J. Bone Joint Surg.*, 1951, 33A, 1-23.

Moller P.F. — The clinical observations after healing of Calvé-Perthes'disease compared with the final deformities left by that disease, and the bearing of those final deformities on the ultimate prognosis. *Acta radiol.*, 1926, 5, 1.

Mose K. — *Legg-Calvé-Perthes'disease*, Thèse Méd., Aarhus, 1964.

Mose K. et coll. Legg Calvé Perthes'disease. The late occurrence of coxarthrosis. *Acta orthop. scand.*, 1977, 169, 1-39.

Muller G.M., Seddon H.J. — Late results of treatment of congenital dislocation of the hip. *J. Bone Joint Surg.*, 1953, 35B, 342.

O'Hara J.P. et coll. — Long term follow-up of Perthes'disease treated non operatively. *Clin. Orthop.*, 1977, 125, 49-56.

Pauwells F. — *Der Schenkelhalsbruch, ein mechanischer Problem*. Stuttgart, Enke, 1935.

Ratliff A.H.C. — Pseudocoxalgia. A study of late results in the adult. *J. Bone Joint Surg.*, 1956, 38B, 498-512.

Ratliff A.H.C. — Perthes'disease. A study of thirty-four hips observed for thirty years. *J. Bone Joint Surg.*, 1967, 49B, 102-107.

Ratliff A.H.C. — *Perthes'disease: long term results in « Hip disorders in children »*, pp. 150-164. Londres, Butterworth, 1978.

Rebouillat J., Chappuis J.P. — Résultats éloignés du traitement de l'ostéochondrite juvénile de la hanche. *Pédiatr. Lyon*, 1966, 21, 360-361.

Ruelle M. — La coxarthrose. Etude de 1 000 dossiers radio-cliniques. *J. belge Méd. phys. Rhum.*, 1961, 16, 113-123.

Stulberg S.D. — Legg-Calvé-Perthes disease: update. In : *The hip*, pp. 263-269. St-Louis, CV Mosby, 1978.

Stulberg S.D. et coll. — Unrecognized childhood hip disease: a major cause of idiopathic osteoarthritis of the hip. In : *The hip*, pp. 212-218. St-Louis, CV Mosby, 1975.

Sundt H. — Malum coxae Calvé-Legg-Perthes. *Acta chir. scand. (Suppl.)*, 1949, n° 148.

Trueta J. — Studies on the etiopathology of osteoarthritis. *Clin. Orthop.*, 1963, 31, 7-19.

Vignon E. et coll. — La coxarthrose: anatomie pathologique, pathogénie, traitement. *Encycl. méd.-chir.*, Appareil locomoteur, 1980, 14318 C 10.

Wansbrough R.M. et coll. — Coxa plana, its genetic aspects and results of treatment with the long taylor walking caliper. *J. Bone Joint Surg.*, 1959, 41A, 135-146.

Wiberg G. — Studies on dysplastic acetabula and congenital subluxation of the hip joint. *Acta chir. scand. (Suppl.)*, 1939, n° 58.

Indications thérapeutiques

- Auffray Y., Kraft F. — Ostéochondrite primitive de la hanche. Evolution et pronostic des formes spontanément centrées. *Rev. Chir. orthop.*, 1972, 58, 303-332.
- Barranco S.D. et coll. — A comparative study of Legg Perthes'disease. *Clin. Orthop.*, 1973, 96, 304-309.
- Blakemore M.E., Harrison M.H.M. — A prospective study of children with untreated Catterall group I Perthes'disease. *J. Bone Joint Surg.*, 1979, 61B, 329-333.
- Broder H.M. — Prognosis in Legg-Perthes'disease. *J. Pediatr.*, 1959, 53, 451-463.
- Brotherton B.J., McKibbin B. — Perthes'disease treated by prolonged recumbency and femoral head containment. a long term appraisal. *J. Bone Joint Surg.*, 1977, 59B, 8-15.
- Cartier P., Dagher F., Morel G. — L'ostéotomie de varisation dans la maladie de Legg-Perthes-Calvé. *Rev. Chir. orthop.*, 1976, 62, 27-41.
- Catterall A. — The natural history of Perthes'disease. *J. Bone Joint Surg.*, 1971, 53B, 37-53.
- Catterall A. — Coxa plana. *Modern Trends in Orthopaedics*, 1972, 6, 122-147.
- Clarke T.E. et coll. — Legg Perthes'disease in children less than four years old. *J. Bone Joint Surg.*, 1978, 60A, 166-168.
- Dickens D.R.V. — The assessment of prognosis in Perthes'disease. *J. Bone Joint Surg.*, 1978, 60B, 189-194.
- Fasting O.J. et coll. — Scintigraphic evaluation of the severity of Perthes'disease in the initial stage. *Acta orthop. scand.*, 1980, 51, 655-660.
- Kahmi E., McEwen G.D. — Treatment of Legg-Calvé-Perthes'disease. Prognostic value of Catterall's classification. *J. Bone Joint Surg.*, 1975, 57A, 651-654.
- Klisic P., Seferovic O., Blazevic U. — Indications for treatment in coxa plana. *Int. Orthop.*, 1977, 1, 33-35.
- Laurençon J. — *Ostéochondrite primitive de la hanche (formes excentrées)*. Thèse Méd., Lyon, 1975.
- Lloyd-Roberts G.C., Catterall A., Salomon P.B. — A controlled study of the indications for and the results of femoral osteotomy in Perthes'disease. *J. Bone Joint Surg.*, 1976, 58B, 31-36.
- Murphy R.P., Marsh H.O. — Incidence and natural history of « head at risk » factors in Perthes'disease. *Clin. Orthop.*, 1978, 132, 102-107.
- Rigault P., Pouliquen J.C., Beneux J. — L'ostéotomie fémorale dans le traitement de l'ostéochondrite primitive de la hanche. *Rev. Chir. orthop.*, 1974, 60, 569-581.
- Taussig G., Heripret G. — Maladie de Legg-Perthes-Calvé. A propos de 275 cas. Importance des facteurs mécaniques. Intérêt du traitement chirurgical. *Rev. Chir. orthop.*, 1969, 55, 305-330.

Index alphabétique

Abstention thérapeutique, 158, 160
 Age (Facteur -), 31, 118, 153
 Age osseux, 32, 62
 Amyotrophie, 54, 60
 Anatomie, 13-19
 Anatomie comparée, 28
 Anatomopathologie, 19-29
 - aspects macroscopiques, 19
 - aspects microscopiques, 24
 Anémie à cellules falciformes, 113
 Angiographie, 35-39
 - images normales, 35
 - LPC, 35
 - revascularisation, 36
 Angle CE de Wiberg, 81, 83
 Animal
 - expérimentation, 44-51
 - LPC chez l'animal, 28
 Antéversion fémorale, 51
 Anthropométrie, 32
 Aplatissement de la tête fémorale, 20, 63, 73, 80
 Appareil génito-urinaire, malformations, 33
 Arrêt de croissance du noyau, 45, 69
 Artère circonflexe postérieure, 16,
 - angiographie, 35
 - élévation, 105
 Artères du cotyle, 19
 Artériographie, 35, 62, 155
 Arthrographie, 62
 Arthrose : cf. coxarthrose
 Ascension du grand trochanter, 82, 134, 164

Bassin, ostéotomie, 130
 Boiterie, 54
 Butées, 134

Calcifications externes, 69
 Calvé (Jacques), 11
 Capsule articulaire,
 - anatomopathologie, 24, 26
 Caput valgum, 82
 Cartilage articulaire, 13, 14, 21, 24, 46, 48, 66, 67, 74, 145
 Cartilage de conjugaison, 13, 14, 15, 16, 21, 26, 50, 64
 Cartilage de croissance, cf. cartilage de conjugaison
 Cartilage épiphyso-métaphysaire : cf. cartilage de croissance
 Catterall (classification de -), 75, 156
 Centre spécialisé, 118
 Cercles de Mose, 68, 80
 Chiari (Ostéotomie de), 134
 Chondrodysplasies, 100
 Chondromatose synoviale, 98

Chondropathie, 52, 100
 Classification :
 de Catterall, 75, 156
 de Curtis, 84
 d'Heymann et Herndon, 84, 150
 de Hirohashi, 78
 de Meyer, 84, 149
 de Mose, 84
 de Sundt, 84
 de Waldenström, 71
 Clinique, 54-59
 Col fémoral, cf. Métaphyse fémorale
 Concept de plasticité : cf. plasticité
 Condensation du noyau, 64, 71, 73
 Confrontation anatomo-radiologique, 73
 « Containment » (Principe de -), 46, 119
 Cotyle
 - d'adaptation, 21, 66, 82
 - anatomopathologie, 21, 26
 - développement, 13
 - ostéochondrite du, 96
 - vascularisation, 19
 Coup d'ongle, 63, 73
 Coxa magna, 50, 56, 57, 80
 Coxa plana, 20, 60, 80, 100
 Coxa valga, 51
 Coxa vara, 82, 134, 164
 Coxalgie, 11, 97
 - pseudo-coxalgie, 97
 Coxarthrose, 135 et ss.
 - critères d'appréciation, 137
 - genèse, 144
 - incidence, 143
 - prévention, 163
 - signes radiologiques, 142
 Crushing, 63, 157
 Curtis (Classification de -), 84

Décharge, 11, 118
 Décollement sous-chondral, 63
 Dérotation, 126
 Définitions, 8
 Densification radiologique, 24, 64
 - expér. animale, 45
 Diagnostic différentiel, 97-116
 Distance ATD, 82
 Douleur, 54
 Dysgénésie épiphysaire, 99
 Dysplasie polyépiphysaire, 101
 Dysplasie spondylo-épiphysaire, 101

Effet trophique de l'ostéotomie, 128
 Elargissement
 - du col, 46, 64, 75, 82
 - de l'interligne, 66, 74
 - métaphysaire, cf. du col

- de la tête : cf. coxa magna
 Epidémiologie, 30
 Epiphysiodèse, 65
 - du grand trochanter, 134
 Epiphysiolysse fémorale, 112
 Etendue de l'atteinte, 154
 - cf. aussi Catterall, 75
 Etiopathogénie, 30-53
 Evolution, 8
 - à long terme, 135-150
 - des signes radiologiques, 71
 Excentration de la tête fém., 66
 Expérimentation animale, 44-51

Facteurs déclenchants, 31
 généétiques, 31
 pronostiques, 152
 de risque, 75, 154
 sociologiques, 32
 vasculaires, 52
 Fauteuil roulant, 120
 Fémur, extrémité sup., développement, 13
 Flambée vasculaire, 128
 Forages, 124
 Formes cliniques, 87-96
 - du petit enfant, 87
 - abortives, 89, 163
 - bilatérales, 91, 163
 - récidivantes, 92
 Formes partielles de Herring, 77, 163
 Fracture du col du fémur, 110
 de fatigue, 48
 Fractures épiphysaires, 47, 48, 51, 63
 - externe, 64
 - latérale, 21
 - sous-chondrale, 21, 51
 Fragmentation du noyau, 64, 71, 73
 Fréquence, 30

Garceau (Opération de -), 134
 Gaucher (Maladie de -), 113
 Génétique, 31
 Géodes, 64, 74
 Greffe intra-épiphysaire, 125
 Groupes de Catterall, 75
 Groupes scintigraphiques, 40

Hanche cicatrisée, 79
 Hanche normale,
 - développement, 13
 - vascularisation, 15
 Hanche séquellaire, 85
 Hémopathies, 112
 Hémophilie, 112
 Herring (Formes de -), 77

Heymann et Herndon (Classification de -), 84, 150
 Hirohashi (Classification de -), 78
 Histologie, 24
 Historique, 10-12
 Horizontalisation de la plaque conjugale, 66

Immobilisation plâtrée, 120
 Incidence économique de la maladie, 165
 Index, 79
 - épiphysaire, 80
 - tête cotyle, 81
 - de surface articulaire, 80
 Indications thérapeutiques, 151-165
 - en phase évolutive, 158
 - schémas actuels, 156
 - au stade séquellaire, 163
 Inégalité de longueur des membres
 - inférieurs, 83, 133, 164
 Infarctus osseux, 19, 24
 - itératif, 47, 48, 52, 58
 Inflammation, 52
 Interligne, 82
 - élargissement, 66, 67, 74
 - pincement, 142
 Irrégularités physiologiques, 89
 Ischémie itérative
 - cf. infarctus itératif
 Ischium magnum, 50

Kystes, 26, cf. aussi Géodes

Languettes cartilagineuses, 26
 Latéralisation de la tête fém., 166
 Legg (Arthur), 11
 Limitation des mouvements, 54
 Long terme, 135-150, 155
 Luxation de hanche
 - congénitale, 33, 103
 - traumatique, 112

Maturation osseuse, 32
 Mesures radiologiques, 79
 Métabolisme, troubles, 32
 Métaphyse fémorale,

- anatomopathologie, 21, 26
- élargissement, 46, 64, 82
- ostéoporose, 64
- raccourcissement, 46, 82
- signes radiologiques, 64

Méthodes thérapeutiques, 117-134

Meyer

- classification de -, 84, 149
- maladie de -, 87, 163

Mose (Classification de -), 84

Myxoedème, 99

Nécrose épiphysaire, 11, 48

Nécrose osseuse, 11, 19, 24, 28, 74
 - expérimentation chez l'animal, 44
 - itérative, 28
 - cf. aussi infarctus osseux

Nosologie, 116

Noyau épiphysaire,

- anatomopathologie, 20
- aplatissement, 63
- arrêt de croissance, 45, 69
- condensation, 64, 71, 73
- écrasement, 63, 117
- fracture, 21, 47, 48, 51, 63, 64

- fragmentation, 64, 71, 73
- rétraction, 63
- revascularisation, 26

Opération de Garceau, 134

Opération de Mizuno, 125

Opérations à visée pathogénique, 124

Orthèses, 11, 120

- d'Atlanta, 122
- de Chicago, 121
- de Toronto, 120
- de Newington, 121

Ostéoarthrite aiguë, 115

Ostéochondrite après luxation congénitale de la hanche, 103-110

Ostéochondrite de croissance,

- (autre que LPC), 33

Ostéochondrite disséquante, 92

Ostéochondrites abortives, 89

Ostéochondrodysplasies, 100

Ostéonécrose aseptique, 29

Ostéonécrose post-traumatique, 110

Ostéonécroses secondaires, 103

Ostéoporose métaphysaire, 64, 74

Ostéotomie de Chiari, 134

Ostéotomie fémorale, 126

Ostéotomie de recentrage, 125

Ostéotomie de Salter, 130

Pathogénie, théories, 51-53

Perthes (Georg), 11

Phlébographie, 19

- épiphysaire, 38
- métaphysaire, 39

Plasticité biologique de la tête fémorale, 21, 28, 45

Plâtre, 120

- de marche, 120

Prévention de l'arthrose, 163

Problèmes psychologiques, 117

Pronostic, 152

- cf. aussi Evolution

Pseudo-coxalgie, 11, 97

Pseudo-Koenig, 77

Quotient, 79

- acétabulaire, 82
- épiphysaire, 64, 80, 85
- de surface articulaire, 80
- tête-col, 82
- tête-cotyle, 81

Raccourcissement du col, 46, 82

Race, 30

Radiologie, 34, 60-86

- classifications, 71, 75, 78, 83
- surveillance, 86
- stade séquellaire, 78
- stades d'évolution, 71
- technique d'examen, 60

Radius quotient, 80

Raideur, 76

Recentrage, 119, 125

Récidives, formes récidivantes, 92

Règles élémentaires de traitement, 157

Remise en charge, 162

Remodelage de la hanche, 85

Réparation osseuse, 24, 28

Repos au lit, 119

Résultats du traitement orthopédique, 122

Rétraction du noyau épiphysaire, 63

Revascularisation épiphysaire, 26, 28, 74

- chirurgicale, 125
- expérim. animale, 44, 45, 47
- image angiographique, 36

Rhume de hanche, 55

- indications therap., 163
- pathogénie, 58

Ruelle, prévision de l'arthrose, 143

Salter (Ostéotomie de -), 130

Scanner, 62

Scintigraphie, 39-44, 58, 62, 155

Séquelles, 78, 86

- indications, 163
- traitement, 133

Sequestre, 20, 38, 75, 94

Sexe, 30, 154

Signes d'appel, 54

Signes d'examen, 54

Signe dit de C. Gage, 69, 75

Signes radiologiques, 63-74

Somatométrie, 33

Stades de la maladie, 28

Stades radiographiques, 71, 154

Subluxation, 66, 67, 68, 157

Sundt (Classification de -), 84

Syndrome tricho-rhino-pharyngien, 101

Synoviale, anatomopathologie, 24, 26

Synovite, 52

Synovite aiguë transitoire, 55, 56

Synovite expérimentale, 50

Taille du sujet, 32

Tamponnade articulaire, 45, 46, 57

Taurine, 32

Théories pathogéniques, 51-53

Terrain familial, 31, 52

Tête fémorale

- aplatissement, voir ce mot
- débord latéral, 67
- élargissement, voir coxa magna
- excentration, 66, 76
- latéralisation, 66
- régularité (sphéricité), 80
- remodelage, 85
- subluxation, 66, 67, 68, 76
- tête « à risque », 75

Thyroïde, métabolisme, 32

Tomodensitométrie axiale : cf. scanner

Tomographie, 67

Topographie de la lésion, 75, 154

Traction, 11, 119

Traitement, 117-134

- chirurgical, 12, 124-134
- indications, 151-165
- objectifs, 117
- orthopédique, 118-124

Transplantation rénale, 114

Traumatisme, 31, 51, 110

Trou scintigraphique, 39

Troubles métaboliques, 32

Tuberculose de la hanche, 97

U radiologique, 66

Varisation, 126

Vascularisation de la hanche, 15

- anomalies, 26

Veines de la hanche, 19, 46, 52

- cf. aussi phlébographie

Waldenström (Classification de -), 71

Achevé d'imprimer
sur les presses de l'imprimerie Marcel Bon
70 Vesoul
N° éditeur : 1095
N° imprimeur : 2537
Dépôt légal : 4^e trimestre 1981